How is the disease transmitted?

Chikungunya is a disease transmitted by the bite of Aedes aegypti and Aedes albopictus mosquitoes.

Main signs and symptoms:



high fever, which can last up to 7 days




joint **pain**



www.paho.org/en/topics/chikungunya

Other common clinical manifestations are:













What should you do if you suspect you have chikungunya?

Persons at risk for severe complications due to chikungunya




Seek medical attention.

Do not self-medicate



If you are breastfeeding, continue to do so.



It is recommended to drink oral rehydration solution.





Children under
1 year old, especially
newborns from mothers
with chikungunya at the
time of delivery.



People with other diseases: high blood pressure, diabetes, heart and kidney disease, obesity, tuberculosis and HIV, among others.



Senior citizens



Pregnant women



People at risk should immediately go to the nearest health facility.

How can you reduce the risk of contracting the disease?

Protect yourself from mosquito bites:

- Wearing clothing that covers your skin and close-toed shoes;
- Whenever possible, use repellents recommended by health authorities (apply to skin or clothing and follow product label instructions);
- Use wire-mesh/mosquito nets on doors and windows and use mosquito nets for sleeping;
- Store, turn upside down or remove containers that may collect water outside the home, so that they do not become mosquitoes breeding sites;
- Cover barrels, or water tanks for domestic use;
- Avoid accumulation of garbage in and around the house. Cover garbage containers.