



Vaccination Schedule in the Americas, 2000

Country	Vaccine	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Dose 6	Dose 7
Anguilla	BCG	6 weeks						
	DTP	3 months	4 months	5 months	18 months	5 years		
	OPV	3 months	4 months	5 months	18 months	4-5 years		
	MMR	15 months	4-5 years					
Antigua & Barbuda	DTP	3 months	4 months	5 months	5 years			
	OPV	3 months	4 months	5 months	5 years			
	MMR	1 year	5 years					
	DT	5 years						
	Td	15 years						
Argentina	BCG	Birth	5 years	16 years				
	DTP	2 months	4 months	6 months	18 months	5 years		
	OPV	2 months	4 months	6 months	18 months	5 years		
	Measles	12 months						
Bahamas	DTP	2 months	4 months	6 months	15 months			
	OPV	2 months	4 months	6 months	4 years			
	HIB	2 months	4 months	6 months	4 years			
	MMR	1 year	4 years					
	DT	4 years						
Barbados	BCG	4.5 years						
	DTP	3 months	4.5 months	6 months	18 months	4.5 years		
	OPV	3 months	4.5 months	6 months	18 months	4.5 years		
	MMR	1 year						
Belize	BCG	Birth						
	DTP	2 months	4 months	6 months				
	OPV	2 months	4 months	6 months	4-5 years			
	HepB	Birth	2 months	4 months				
	HIB	2 months	4 months	6 months				
	MMR	1 year	4-5 years					
	DT	4-5 years						
Td	10-11years	4th month of pregnancy	1 month later					
Bermuda	DTP	2 months	4 months	6 months	18 months	4-6 years		
	OPV	2 months	4 months	6 months	4-6 years			
	HepB	6 months	7 months	12 months				
	HIB	2 months	4 months	6 months	18 months			
	MMR	15 months	4-6 years					
	DT	14-16 years						
Bolivia	BCG	Birth						
	DTP	2 months	4 months	6 months				
	OPV	Birth	2 months	4 months	6 months			
	HepB	High risk only						
	MMR	1 year						
	VitaminA	6-11 months	1-4 years later					
	YFV	High Risk Areas						
DT	3 doses between 15-45 years							
Brazil (upd: 12-Sept-2000)	BCG	Birth	6-10 years					
	DTP	2 months	4 months	6 months	15 months	10-11 years (see DT)		
	OPV	2 months	4 months	6 months	15 months			
	HepB	Birth	1 month	6 months				
	HIB	2 months	4 months	6 months				
	Measles	9 months						
	MMR	15 months						
	Rubella	12-49 years						
	YFV	9 months	10-11 A	(Amazon & Central)				
	DT (WCBA)	10 years	2 months later	4 months later	every 10 years			
British Virgin Islands	BCG	1 month						
	DTP	3 months	4.5 months	6 months	18 months	3-4 years		
	OPV	3 months	4.5 months	6 months	18 months	3-4 years		
	HepB	1 month	2 months	7 months				
	HIB	3 months	5 months	7 months				
	MMR	1 year	4 years					



Vaccination Schedule in the Americas, 2000

Country	Vaccine	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Dose 6	Dose 7
Canada	DTaP	2 months	4 months	6 months	18 months	4-6 years		
	IPV	2 months	4 months	6 months	18 months	4-6 years		
	HepB	3 x infancy	or 3 x 9-13					
	HIB	2 months	4 months	6 months	18 months			
	MMR	12 months	18 months	or 4-6 years				
	Td	14-16 years						
Cayman Islands	BCG	6 weeks						
	DTP	2 months	4 months	6 months	4-5 years			
	OPV	2 months	4 months	6 months	4-5 years	14 years		
	HepB	Birth	1 month	5 months				
	HIB	2 months	4 months	6 months	15 months			
	MMR	15 months	4-5 years					
Chile	BCG	Birth	6 years					
	DTP	2 months	4 months	6 months	18 months	4 years		
	OPV	2 months	4 months	6 months	18 months	4 years		
	HIB	2 months	4 months	6 months				
	MMR	1 year	6 years					
Colombia (upd: 12-Sept-2000)	BCG	Birth						
	DTP	2 months	4 months	6 months	18 months	4 years		
	OPV	Birth	2 months	4 months	6 months	18 months	4 years	
	DT	First day	1 month	6 months	1 year	1 year		
	HepB	Birth	1 month	6 months				
	HIB	2 months	4 months	6 months				
	MMR	1 year	10 year (WCBA)					
	YFV	> 1 year (High Risk Groups)						
Costa Rica (using DPTTHH) (upd: 12-Sept-2000)	BCG	Birth						
	DTP	2 months	4 months	6 months	15 months	4 years		
	OPV	2 months	4 months	6 months	15 months			
	HepB	Birth	2 months	4 months	6 months			
	HIB	2 months	4 months	6 months	15 months			
	MMR	15 months	7 years					
	DT	every 10 years						
Cuba (upd: 12-Sept-2000)	BCG	Birth						
	DTP	2 months	4 months	6 months	15 months			
	OPV	By campaign						
	HepB	Birth	1 month	6 months	12 months			
	HIB	2 months	4 months	6 months	15 months			
	MMR	1 year						
	DT	6 years						
	TT	10 years						
Dominica	BCG	3 months						
	DTP	3 months	4.5 months	6 months				
	OPV	3 months	4.5 months	6 months	3 years	11-13 years		
	HepB	1 month	5 months					
	MMR	1 year						
	DT	3-5 years						
	Td	11-13 years						
Dominican Republic	BCG	Birth						
	DTP	1 month	2 months	3 months	15 months			
	OPV	Birth	2 months	3 months	4 months	15 months		
	HepB	Birth	1 months					
	Measles	9 months						
Ecuador (upd: 12-Sept-2000)	BCG	Birth						
	DTP	2 months	4 months	6 months				
	OPV	2 months	4 months	6 months				
	HepB	Birth	1 month					
	Measles	9 months						
	MMR	1 year						
	YFV	12 months	(Amazon)					
	DT	1st control (pregnant women)	4 weeks later	6 weeks later	6 months later	1 year		
	VitaminA	6-11 months	every 6months	(100,000 ui)				
		12-59 months	every 6months	(200,000 ui)				



Vaccination Schedule in the Americas, 2000

Country	Vaccine	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Dose 6	Dose 7
El Salvador	BCG	Birth						
	DTP	2 months	3 months	4 months	15 months	4-5 years		
	OPV	Birth	2 months	3 months	4 months	15 months	4-5 years	
	HepB	High risk only						
	Measles	9 months						
	MMR	15 months-2 years						
French Guiana	BCG	under 6 years						
	DTP	2 months	3 months	4 months	1 year	5 years	10 years	
	OPV	2 months	3 months	4 months	1 year	5 years	10 years	
	HepB	2 months	1 year	6 years				
	Measles	12 months	6-11 years					
	MMR	9-12 months	3 years					
	YFV	Universal vaccination						
Grenada	DTP	3 months	4 months	5 months	18 months			
	OPV	3 months	4 months	5 months	18 months	4 years		
	MMR	12 months						
	DT	4 years						
Guadeloupe	BCG	in first year						
	DTP	2 months	3 months	4 months	14 months	6 years		
	OPV	2 months	3 months	4 months	14 months	6 years		
	HepB	2 months	3 months	Booster				
	HIB	2 months	3 months					
	MMR	1 year	6 years					
Guatemala	BCG	Birth						
	DTP	2 months	4 months	6 months	18 months			
	OPV	Birth or 2 months	4 months	6 months	18 months			
	Measles	9 months						
	Td	1st contact older than 6 years	1 month later	6 months later	1 year later			
Guyana (upd: 12-Sept-2000)	BCG	Birth						
	DTP	3 months	4 months	5 months	17 months	3yr 9mos.		
	OPV	3 months	4 months	5 months	17 months	3yr 9mos.		
	MMR	12 months	3yr 9mos.					
	YFV	12 months	every 10 months					
	DT	5 years and over						
	TT	After 12 weeks gestation	4 weeks after 1st dose	6-12 months after 2nd dose/ every 5 yrs				
Haiti	BCG	Birth						
	DTP	6 weeks	10 weeks	14 weeks	15 months			
	OPV	Birth	1.5 month	3 months	4.5 months	15 months		
	Measles	9 months						
	VitaminA	6 months-5 years						
Honduras (upd: 13-Sept-2000)	BCG	Birth						
	DTP		pentavalent		18 months	4-5 years		
	pentavalent: DPT	2 months	4 months	6 months				
	HB	2 months	4 months	6 months	under 5's (during NIDs)			
	Hib	Birth	1 month	6 months	(Risk groups)			
	MMR	1 year						
	MR	12-49 years (1 dose - WCBA and risk groups)						
	VitaminA	9 doses given every 6 months between 6 months - 5 years of age						
	YFV	>1 year (International Travellers)						
	DT	12-49 years (5 doses - WCBA and risk groups)						
Jamaica	BCG	Birth						
	DTP	6 weeks	10 weeks	14 weeks	18 months	4-8 years		
	OPV	6 weeks	10 weeks	14 weeks	18 months	4-8 years		
	MMR	1 year						
	TT	Pregnant women	4-6 weeks later					



Vaccination Schedule in the Americas, 2000

Country	Vaccine	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Dose 6	Dose 7
Martinique	BCG	1 month						
	DTP	2 months	3 months	4 months				
	OPV	2 months	3 months	4 months				
	HepB	1 month	1-6 months	1-6 months				
	HIB	2 months	3 months	4 months	1 year			
	MMR	1 year	3 or 5 years					
	Rubella DT	Adult 20 years						
Mexico (upd: 13-Sept-2000) pentavalent: DPT HB Hib	BCG	Birth						
	DTP		pentavalent		2 years	4 years		
	OPV	2 months	4 months	6 months				
	MMR	1 year	6 years					
	DT DPTTHH	school children and 2 months	WCBA 4 months	6 months				
Montserrat	BCG	3 months						
	DTP	3 months	4 months	5 months	18 months			
	OPV	3 months	4 months	5 months	18 months	4.5 years	15 years	
	HIB MMR	3 months 15 months	4 months 3-4.5 years	5 months				
Netherlands Antilles	BCG	Birth						
	DTP	2 months	3 months	4 months	11 months			
	OPV	2 months	3 months	4 months	11 months	4 years	9 years	
	HepB	2 months	3 months	4 months	11 months	4 years	9 years	
	HIB	2 months	3 months	4 months	11 months	4 years	9 years	
	MMR DT	14 months 4 years	9 years 9 years					
Nicaragua (upd: 14-Sept-2000) pentavalent: DPT HB Hib	BCG	Birth						
	DTP		pentavalent		1 year			
	OPV	2 months	4 months	6 months				
	MMR	1 year						
	DT DPTTHH	6 years/WCBA 2 months	10 years 4 months	6 months after 6 months	1 year after			
	VitaminA	6 months	12 months	18 months	24 months	30 months		
Panama (upd: 14-Sept-2000) pentavalent: DPT HB Hib	BCG	Birth						
	DTP	2 months	4 months	6 months	15 months	4-5 years		
	DPTTHH	2 months	4 months	6 months	15 months			
	OPV	Birth	2 months	4 months	6 months	15 months	4-5 years	
	Measles	9 months						
	MMR	15 months	11-12 years					
	MR	WCBA						
	VitaminA	6 months	12 months	18 months	24 months	36 months	59 months	
	YFV DT	1 year and on 3 x WCBA	10 years after	(areas Darién, K.Yala y Pmá Este)				
Paraguay (upd: 14-Sept-2000)	BCG	Birth (<1 year)						
	DTP	2 months	4 months	6 months	1 year	4 years		
	OPV	2 months	4 months	6 months	1 year	4 years		
	Measles	1 year						
	YFV	>1 year - travellers in endemic areas						
	DT	5 x WCBA						
Peru	BCG	Birth						
	DTP	2 months	3 months	4 months				
	OPV	Birth	2 months	3 months	4 months			
	Measles	12 months						
	YFV	High Risk Areas 9 months						
Saint Kitts & Nevis	BCG	Birth or 5 years						
	DTP	3 months	4 months	5 months	18 months			
	OPV	3 months	4 months	5 months	18 months	12 years	18 years	
	HepB	Birth	1 month	6 months				
	MMR	12-15 months	5 years					
	DT	12 years	17 years					
	TT	1st contact	4 weeks later	1 year later				
Saint Lucia	BCG	3 months						
	DTP	3 months	4.5 months	6 months	18 months			
	OPV	3 months	4.5 months	6 months	18 months	5 years		
	Measles	2 years						
	MMR	1 year						



Vaccination Schedule in the Americas, 2000

Country	Vaccine	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Dose 6	Dose 7
Saint Vincent & The Grenadines	BCG	Birth						
	DTP	3 months	4.5 months	6 months	18 months			
	OPV	3 months	4.5 months	6 months	18 months	4.5 years		
	HepB	1st contact	2 more doses					
	MMR	1 year	4.5 years					
	DT	4.5 years						
Suriname	TT	Pregnant women	6 weeks later	6 months later	5 years later			
	DTP	3 months	4 months	5 months	1-5 years			
	OPV	3 months	4 months	5 months	1-5 years			
	MMR	1 year						
	DT	4 years	1 month later					
Trinidad & Tobago	TT	Pregnant women	1 month later					
	DTP	3 months	4.5 months	6 months	18 months	4-5 years		
	OPV	3 months	4.5 months	6 months	18 months	4-5 years		
	MMR	12-15 months	4-6 years					
	YFV	12-15 months						
Turks & Caicos Islands	DT	10 years						
	BCG	Birth						
	DTP	3 months	4 months	5 months	6 months	18 months		
	OPV	3 months	4 months	5 months	6 months	7 months	8 months	18 months
	HepB	Birth	1 month	2 months	6 months			
	HIB	3 months	4.5 months	6 months	18 months			
	MMR	1 year	4.5 years					
Uruguay	DT	4.5 years						
	BCG	Birth	5 years					
	DTP	2 months	4 months	6 months	12 months	5 years		
	OPV	2 months	4 months	6 months	12 months			
	HepB	High risk only						
	HIB	2 months	4 months	6 months	12-16 months			
USA	MMR	1 year	5 years					
	DTP	2 months	4 months	6 months	15 months	4-6 years		
	IPV	2 months	4 months	6 months				
	OPV	12-18 months	4-6 years					
	HepB	Birth	1 month	6 months				
	HIB	2 months	4 months	6 months	12-15 months			
Venezuela	MMR	12-15 months	4,6 years	11,12 years				
	BCG	Birth						
	DTP	2 months	4 months	6 months	18 months			
	OPV	Birth	2 months	4 months	6 months			
	HepB	Birth	1 month	7 months				
	YFV	1 year	under 6 months					