

Country	Indicator(s)	Citations
For ALL Countries	1-5, 6-29, 33-34 (unless listed otherwise)	PAHO. (2011). <i>Regional Core Health Data and Country Profiles Initiative</i> . Washington DC: PAHO.
	32	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	39 - 44(unless listed otherwise)	Centers for Disease Control and Prevention. (2011). <i>Global School Health Survey</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	45-72	WHO/PAHO. (2010). <i>Country Profile of Capacity and Response to Chronic Non-Communicable Diseases</i> . Washington DC: WHO/PAHO
The Americas		
North America		
Canada	30-31, 46	Statistics Canada. (2006). <i>Canadian Community Health Survey</i> . Available from: http://www.statcan.gc.ca/start-debut-eng.html
	35,38	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	41	Propel Centre for Population Health Impact. 2008/2009 Youth Smoking Survey. Available from: http://www.yss.uwaterloo.ca/index.cfm?section=1&page=111
Puerto Rico	30-31, 35, 46	Centers for Disease Control and Prevention. (2009). <i>Behavioral Risk Factor Surveillance System Survey Data</i> . Atlanta, Georgia: US Department of Health and Human Services, Centers for Disease Control and Prevention.
	39-40, 42, 44-45	Centers for Disease Control and Prevention. (2005). <i>Youth Risk Behavior Surveillance System</i> . Atlanta, Georgia. CDC. Available from: http://apps.nccd.cdc.gov/youthonline/App/Default.aspx
United States of America	30-31, 33, 35-38, 46-48	Centers for Disease Control and Prevention. (2009). <i>Behavioral Risk Factor Surveillance System Survey Data</i> . Atlanta, Georgia: US Department of Health and Human Services, Centers for Disease Control and Prevention.
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	39-45	Centers for Disease Control and Prevention. (2009). <i>Youth Risk Behavior Surveillance System</i> . Atlanta, Georgia. CDC. http://apps.nccd.cdc.gov/youthonline/App/Default.aspx
Virgin Islands (US)	30-31, 33, 35-37, 46-48	Centers for Disease Control and Prevention. (2009). <i>Behavioral Risk Factor Surveillance System Survey Data</i> . Atlanta, Georgia: US Department of Health and Human Services, Centers for Disease Control and Prevention.
	39-40,44-45	Centers for Disease Control and Prevention. (2003). <i>Youth Risk Behavior Surveillance System</i> . Atlanta, Georgia. CDC. http://apps.nccd.cdc.gov/youthonline/App/Default.aspx
Latin America and the Caribbean		
Latin America		
Mexico	30-31	Instituto Nacional de Salud Publica. (2006). <i>Resultados de Nutrición de la Encuesta Nacional de Salud y Nutrición (ENSANUT)</i> . Cuernavaca, Morelos, México: Instituto Nacional de Salud Publica.
	36, 38	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35	WHO. (2009). <i>Global Adult Tobacco Survey Fact Sheet: Mexico</i> . Available from: http://www.who.int/tobacco/surveillance/gats_mexico/en/index.html .
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	46	PAHO. (2002). <i>Profile of the Health Services System, Mexico</i> . Washington DC: Division of Health Systems and Services Development.
Central American with Dominican Republic (SICA)		
Costa Rica	30-36, 33-34, 35, 37-38	Ministerio de Salud. (2010). <i>Sistema de Vigilancia de Factores de Riesgo Cardiovascular, Subárea de Caja de Costarricense de Seguro Social</i> . (2011). <i>Vigilancia de los Factores de Riesgo Cardiovascular</i> . San Jose: Ministerio de Salud.
	36	PAHO. (2010). <i>The Central America Diabetes Initiative (CAMDI): Survey of Diabetes, Hypertension and Chronic Disease Risk Factors, Belize, San José, San Salvador, Guatemala</i> . Washington DC: PAHO.

	39-44	Centers for Disease Control and Prevention. (2009). <i>Global School Health Survey: Costa Rica 2009 Fact Sheet</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2009). <i>Profile of the Health Services System, Costa Rica</i> . Washington DC: Division of Health Systems and Services Development.
Dominican Republic	30-31	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35,41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	36-38, 47-48	WHO. (2003). <i>World Health Survey 2003, Report of the Dominican Republic</i> . Available from: http://www.who.int/healthinfo/survey/whsresults/en/index2.html .
	46	PAHO. (2007). <i>Health Systems Profile of Dominican Republic</i> . Washington DC: PAHO.
El Salvador	30-31, 33-36	PAHO. (2004). <i>The Central America Diabetes Initiative (CAMDI): Survey of Diabetes, Hypertension and Chronic Disease Risk Factors, Belize, San José, San Salvador, Guatemala</i> . Washington DC: PAHO.
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	46	PAHO. (2008). <i>Health Systems Profile of El Salvador</i> . Washington DC: PAHO.
Guatemala	30-31, 38,	PAHO. (2007). <i>The Central America Diabetes Initiative (CAMDI): Survey of Diabetes, Hypertension and Chronic Disease Risk Factors, Villa Nueva, Guatemala</i> . Washington DC: PAHO.
	35-37	WHO. (2003). <i>World Health Survey 2003, Report of Guatemala</i> . Available from: http://www.who.int/healthinfo/survey/whsresults/en/index2.html .
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	39-40, 33-36	Centers for Disease Control and Prevention. (2009). <i>Global School Health Survey: Guatemala 2009</i> Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2007). <i>Health Systems Profile of Guatemala</i> . Washington DC: PAHO.
Honduras	30-31, 33-36	PAHO. (2003). <i>The Central America Diabetes Initiative (CAMDI): Survey of Diabetes, Hypertension and Chronic Disease Risk Factors, Belize, San José, San Salvador, Guatemala</i> . Washington DC: PAHO.
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	46	PAHO. (2009). <i>Health Systems Profile of Honduras</i> . Washington DC: PAHO.
Nicaragua	30-31, 33-36	PAHO. (2003). <i>The Central America Diabetes Initiative (CAMDI): Survey of Diabetes, Hypertension and Chronic Disease Risk Factors, Belize, San José, San Salvador, Guatemala</i> . Washington DC: PAHO.
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
Panama	30-31, 33-35	Ministerio de Salud, Republica de Panama. (2007) <i>Encuesta Nacional de Salud y Calidad de Vida (ENSCAVI)</i> . Panama City: Ministerio de Salud.
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	46	PAHO. (2008). <i>Health Systems Profile of Panama</i> . Washington DC: PAHO.
Andean Area (ORAS)		
Bolivia	30-31, 34	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35, 41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
Colombia	30-31, 33-35,38	Ministerio de la Protección Social, Republica de Colombia. (2007). <i>Encuesta Nacional de Salud 2007</i> . Bogota, Colombia: Ministerio De la Protección Social.
	41-42, 44	Centers for Disease Control and Prevention. (2007). <i>Global School Health Survey: Colombia 2007</i> Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2002). <i>Profile of the Health Systems Profile of Colombia</i> . Washington DC: PAHO.
Ecuador	30-31, 34	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/

	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	39-40, 42, 44	Centers for Disease Control and Prevention. (2007). <i>Global School Health Survey: Ecuador 2007</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2008). <i>Health Systems Profile of Ecuador: Monitoring and Analysis of the Change and Reform Processes</i> . Washington DC: PAHO.
Peru	30-31, 34, 36	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35	Ministerio de Salud del Peru. (2006). <i>Encuesta Nacional de Consumo de Drogas en Poblacion General de Peru</i> .
	39-44	Centers for Disease Control and Prevention. (2010). <i>Global School Health Survey: Peru 2010 Fact Sheet</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2001). <i>Health Systems Profile of Peru: Monitoring and Analysis of the Change and Reform Processes</i> . Washington DC: PAHO.
Venezuela	30-31, 34	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35	Ministerio del Poder Popular para la Salud. (2005). <i>Consumo de Drogas en la República Bolivariana de Venezuela</i> .
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	44	Centers for Disease Control and Prevention. (2008). <i>Global School Health Survey: Venezuela 2008</i> Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2001). <i>Profile of the Health Services System of the Bolivarian Republic of Venezuela</i> . Washington DC: PAHO.
Southern Cone (MERCOSUR)		
Argentina	30-31, 33-38, 47-48	Ministerio de Salud. (2009). <i>Segunda Encuesta Nacional de Factores de Riesgo</i> . Buenos Aires: Ministerio de Salud.
	41	Centers for Disease Control and Prevention (CDC) and World Health Organization (WHO). (2007). <i>Argentina Global Youth Tobacco Survey 2007</i> . Atlanta, United States: CDC.
	39-40, 42, 44	Centers for Disease Control and Prevention. (2007). <i>Global School Health Survey: Argentina 2007</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2002). <i>Profile of the Health Services System of Argentina</i> . Washington DC: PAHO.
Brazil	30-31, 33-38, 47-48	Ministério da Saúde. (2009). <i>Vigilância de Fatores de Risco e Proteção para doenças crônicas por inquérito Telefônico (Vigitel)</i> . DF: Ministério da Saúde.
	39-41	Ministério da Saúde. (2009). <i>Pesquisa Nacional de Saúde do Escolar (PeNSE)</i> . DF: Ministério da Saúde.
	46	PAHO. (2008). <i>Brazil Health Systems and Services Profile</i> . Washington DC: PAHO.
Chile	30-31, 33-38, 47-48	Ministerio de Salud. (2010). <i>Encuesta Nacional de Salud Chile</i> . Santiago: Ministerio de Salud.
	41	Centers for Disease Control and Prevention (CDC) and World Health Organization (WHO). (2008). <i>Chile Global Youth Tobacco Survey 2008</i> . Atlanta, United States: CDC.
	39-40, 42, 44	Centers for Disease Control and Prevention. (2004). <i>Global School Health Survey: Chile 2004</i> Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2002). <i>Profile of the Health Services System of Chile</i> . Washington DC: PAHO.
Paraguay	30	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	31, 33-35, 37, 38	Ministerio de Salud Pública y Bienestar Social. (2011) <i>Primera Encuesta Nacional de Factores de Riesgo de Enfermedades No Transmisibles</i> . Asunción: Ministerio de Salud Pública y Bienestar Social.
	36, 47-48	WHO. (2003). <i>World Health Survey 2003, Report of Paraguay</i> . Available from: http://www.who.int/healthinfo/survey/whsresults/en/index2.html .
	41	WHO/CDC. (2003). <i>Encuesta Mundial de Tabaco en Jóvenes</i> . Paraguay: WHO/CDC.
	39-40, 42, 44	Ministério de Salud Publica y Bienestar Social. <i>Programa Nacional de Diabetes</i> . Available from: http://www.mspbs.gov.py/v2/index.php
	46	PAHO. (2002). <i>Profile of the Health Services System of Paraguay</i> . Washington DC: PAHO.
Uruguay	30-31, 33-38, 47-48	Ministerio de Salud. (2009). <i>1a Encuesta Nacional de Factores de Riesgo de Enfermedades Crónicas no Transmisibles</i> . Montevideo: Ministerio de Salud.
	39-42, 46	Centers for Disease Control and Prevention. (2006). <i>Global School Health Survey: Uruguay 2006</i> Available from: http://www.cdc.gov/gshs/countries/americas/index.htm

	48	PAHO. (2002). <i>Profile of the Health Services System of Uruguay</i> . Washington DC: PAHO.
Caribbean Community (CARICOM)		
Anguilla	41, 43-44	Centers for Disease Control and Prevention. (2009). <i>Global School Health Survey: Anguilla 2007</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2007). <i>Health System Profile Anguilla</i> . Washington DC: PAHO.
Antigua and Barbuda	30-31, 34	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	41-44	Centers for Disease Control and Prevention. (2009). <i>Global School Health Survey: Antigua and Barbuda 2009</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
Bahamas	30	PAHO/WHO/CAREC. (2011). Surveillance of Non Communicable Diseases Reporting Form. Washington DC: PAHO/WHO/CAREC.
	31, 35	Ministry of Health. (2005). <i>The Bahamas Chronic Non Communicable Disease Prevalence Study and Risk Factor Survey</i> . Nassau, Bahamas: Ministry of Health. And Fact Sheet
	41	Ministry of National Security. (2008). Survey of Secondary School Students. Nassau, Bahamas: Ministry of National Security.
	46	Department of Statistics. (2008). <i>Bahamas Living Conditions Survey</i> . Nassau: Department of Statistics
Barbados	30-31, 35-38, 46-48	PAHO/WHO/CAREC. (2011). Surveillance of Non Communicable Diseases Reporting Form. Washington DC: PAHO/WHO/CAREC.
	41	WHO. (2007). <i>Global Youth Tobacco Survey</i> . Available from: http://www.who.int/tobacco/surveillance/gyts/en/
Belize	30-31, 35-38	PAHO. (2009). <i>The Central America Diabetes Initiative (CAMDI): Survey of Diabetes, Hypertension and Chronic Disease Risk Factors, Belize</i> . Washington DC: PAHO.
	38	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	41	WHO. (2008). <i>Global Youth Tobacco Survey</i> . Available from: http://www.who.int/tobacco/surveillance/gyts/en/
Bermuda	30-31, 35-38, 46-48	Department of Health. (2006). <i>Health Survey of Adults and Children in Bermuda</i> . Hamilton: Department of Health.
	41	Rothenbach Research and Consulting, LLC. (2007). <i>Communities that Care Youth Survey: Bermuda Report</i> . Northampton, MA: Rothenbach Research and Consulting, LLC.
Cayman Islands	33-34	Cayman Islands Health Services Authority. (2007). <i>Cayman Islands National Health Report on Disease Prevalence, Demographic Factors, Risk Behaviour and Comorbidity</i> . Grand Cayman: CI Health Services Authority.
	41-42, 44	Centers for Disease Control and Prevention. (2006). <i>Global School Health Survey: Cayman Islands 2007</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
Dominica	30-31, 35-38, 47-48	PAHO/WHO/CAREC. (2011). Surveillance of Non Communicable Diseases Reporting Form. Washington DC: PAHO/WHO/CAREC.
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	39, 40, 42-44	Centers for Disease Control and Prevention. (2008). <i>Global School Health Survey: Dominica 2008</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
Grenada	41-42, 44	Centers for Disease Control and Prevention. (2008). <i>Global School Health Survey: Grenada 2008</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
Guyana	30-31	WHO. Global Infobase. Available from: https://apps.who.int/infobase/
	34	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	39-46	Centers for Disease Control and Prevention. (2010). <i>Global School Health Survey: Guyana 2010</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
Haiti	30-31	WHO. (2011). <i>Global Status Report on Noncommunicable Diseases</i> . Geneva, Switzerland: WHO.
	34	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
Jamaica	30-31, 35-36, 38, 46	Epidemiology Research Center. (2008). <i>Jamaica Health and Lifestyle Survey</i> . Mona: University of the West Indies.
	41-42	Fox, K., Gordon-Strachan, G. (2005). <i>Jamaica Youth Risk and Resiliency Behavior Survey</i> . Washington DC: USAID.
	39-40, 43-44	Centers for Disease Control and Prevention. (2010). <i>Global School Health Survey: Jamaica 2010</i> Available from: http://www.cdc.gov/gshs/countries/americas/index.htm

Montserrat	41	WHO. (2000). <i>Global Youth Tobacco Survey</i> . Available from: http://www.who.int/tobacco/surveillance/gyts/en/
	42	Centers for Disease Control and Prevention. (2008). <i>Global School Health Survey: Montserrat 2008</i> Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
Saint Kitts and Nevis	30-31, 35-36, 47	Ministry of Health (2008). <i>PAHO STEPS Chronic Diseases Risk Factor Surveillance</i> . Ministry of Health: Basseterre.
	41	WHO. (2002). <i>Global Youth Tobacco Survey</i> . Available from: http://www.who.int/tobacco/surveillance/gyts/en/
	42, 44	Caribbean Food and Nutrition Institute (2005). <i>St. Kitts and Nevis CFNI Survey</i> . Washington DC: PAHO.
Saint Lucia	30-31, 34	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	41	WHO. (2002). <i>Global Youth Tobacco Survey</i> . Available from: http://www.who.int/tobacco/surveillance/gyts/en/
	42- 45	Centers for Disease Control and Prevention. (2007). <i>Global School Health Survey: St. Lucia 2007</i> Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46	PAHO. (2008). <i>Health Systems Services Profile St. Lucia</i> . Washington DC: PAHO.
Saint Vincent and the Grenadines	30-31,	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	42-45	Centers for Disease Control and Prevention. (2007). <i>Global School Health Survey: St. Vincent and Grenadines 2007</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
Suriname	30-31	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35-36	The Executive Office of the national Anti-Drug Council (UBN) and Inter-American Drug Abuse Control Commission (CICAD)/Organization of American States (2007). <i>Suriname National Household Drug Prevalence Survey 2007</i> .
	39-45	Centers for Disease Control and Prevention. (2009). <i>Global School Health Survey: Suriname 2009</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
	46, 48	Suriname Ministry of Health. (2007). <i>Report of the Director of Health 2005-2006</i> . Paramaribo: Ministry of Health.
Trinidad and Tobago	30-31	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG
	41-42, 44	Centers for Disease Control and Prevention. (2007). <i>Global School Health Survey: Suriname 2007 Fact Sheet</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
Turks and Caicos Islands	33-34	CARICOM Capacity Development Programme (CCDP) and Canadian International Development Agency (CIDA). (2001). <i>National Census Report Turks and Caicos Islands</i> . Greater Georgetown, Guyana: CARICOM Secretariat.
Virgin Islands (UK)	30-31, 33-38, 47-48	PAHO/WHO/CAREC. (2011). <i>Surveillance of Non Communicable Diseases Reporting Form</i> . Washington DC: PAHO/WHO/CAREC.
	39-44	Centers for Disease Control and Prevention. (2009). <i>Global School Health Survey: British Virgin Islands 2009 Fact Sheet</i> . Available from: http://www.cdc.gov/gshs/countries/americas/index.htm
Other		
Aruba	30-31, 33-38, 46-48	PAHO/WHO/CAREC. (2011). <i>Surveillance of Non Communicable Diseases Reporting Form</i> . Washington DC: PAHO/WHO/CAREC.
Cuba	30-31	WHO. Global Health Observatory. Available from: http://apps.who.int/ghodata/
	35, 41	PAHO. Pan American Tobacco Information Online System. Available from: http://www.paho.org/tobacco/PatiosHome.asp?Lang=ENG

French Guinea		
Guadeloupe		
Martinique	33-36	Institut de Veille Sanaire, Obserbatorire de la Sante De Martinique. (2004). <i>ESCAL : Enquete sur la Sante et les Comportoments Alimentaires</i> . Saint-Maurice cedex, France : Institut de Veille Sanaire.
Netherlands Antilles		