Bolivia - Cochabamba (Ages 13-15)	youth
Global Youth Tobacco Survey (GYTS)	tobacco
FACT SHEET · · · · · · · · · · · ·	survey

The Bolivia - Cochabamba GYTS includes data on prevalence of cigarette and other tobacco use as well as information on five determinants of tobacco use: access/availability and price, exposure to secondhand smoke (SHS), cessation, media and advertising, and school curriculum. These determinants are components Bolivia - Cochabamba could include in a comprehensive tobacco control program.

The Bolivia - Cochabamba GYTS was a school-based survey of students in 1st, 2nd, 3rd, and 4th secondary, and 8th primary conducted in 2003.

A two-stage cluster sample design was used to produce representative data for Bolivia - Cochabamba. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 100.0%, the class response rate was 100.0%, the student response rate was 89.2%, and the overall response rate was 89.2%. A total of 2,891 students aged 13-15 participated in the Bolivia -Cochabamba GYTS.

Prevalence

53.1% of students had ever smoked cigarettes (Boy = 63.7%, Girl = 43.2%)
28.8% currently use any tobacco product (Boy = 34.4%, Girl = 23.5%)
24.0% currently smoke cigarettes (Boy = 29.7%, Girl = 18.9%)
11.3% currently use other tobacco products (Boy = 13.4%, Girl = 9.4%)
30.6% of never smokers are likely to initiate smoking next year

Knowledge and Attitudes

20.6% think boys and 18.0% think girls who smoke have more friends 15.5% think boys and 11.2% think girls who smoke look more attractive

Access and Availability - Current Smokers

18.7% usually smoke at home 51.3% buy cigarettes in a store

80.2% who bought cigarettes in a store were NOT refused purchase because of their age

Exposure to Secondhand Smoke (SHS)

42.7% live in homes where others smoke in their presence 60.9% are around others who smoke in places outside their home 80.4% think smoking should be banned from public places 54.5% think smoke from others is harmful to them 44.8% have one or more parents who smoke 15.7% have most or all friends who smoke

Cessation - Current Smokers

56.4% want to stop smoking70.9% tried to stop smoking during the past year76.1% have ever received help to stop smoking

Media and Advertising

- 74.2% saw anti-smoking media messages, in the past 30 days
- 80.3% saw pro-cigarette ads on billboards, in the past 30 days
- 73.2% saw pro-cigarette ads in newspapers or magazines, in the past 30 days
- 17.4% have an object with a cigarette brand logo
- 12.6% were offered free cigarettes by a tobacco company representative

School

44.8% had been taught in class, during the past year, about the dangers of smoking 22.0% had discussed in class, during the past year, reasons why people their age smoke 36.6% had been taught in class, during the past year, the effects of tobacco use

Highlights

- 28.8% of students currently use any form of tobacco; 24.0% currently smoke cigarettes; 11.3% currently use some other form of tobacco.
- SHS exposure is high over 2 in 5 students live in homes where others smoke, and 6 in 10 students are exposed to smoke around others outside of the home; more than 2 in 5 students have at least one parent who smokes.
- Over half the students think smoke from others is harmful to them.
- Eight in 10 students think smoking in public places should be banned.
- More than half the current smokers want to stop smoking.
- One in 6 students has an object with a cigarette brand logo on it.
- Three-quarters of the students saw anti-smoking media messages in the past 30 days; 8 in 10 students saw pro-cigarette ads on billboards and over 7 in 10 saw pro-tobacco ads in newspapers or magazines in the past 30 days.