# Trinidad and Tobago (Ages 13-15) Global Youth Tobacco Survey (GYTS)



**FACT SHEET** 

The Trinidad and Tobago GYTS includes data on prevalence A two-stage cluster sample design was used to produce of cigarette and other tobacco use as well as information on five determinants of tobacco use: access/availability and price, exposure to secondhand smoke (SHS), cessation, media and advertising, and school curriculum. These determinants are components Trinidad and Tobago could include in a comprehensive tobacco control program.

The Trinidad and Tobago GYTS was a school-based survey of students in forms 1 through 5 conducted in 2000.

representative data for Trinidad and Tobago. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 89.1%, the class response rate was 100.0%, the student response rate was 85.4%, and the overall response rate was 76.1%. A total of 2,115 students aged 13-15 participated in the Trinidad and Tobago GYTS.

#### Prevalence

37.9% of students had ever smoked cigarettes (Boy = 45.6%, Girl = 30.1%)

14.3% currently use any tobacco product (Boy = 18.0%, Girl = 10.3%)

12.0% currently smoke cigarettes (Boy = 16.0%, Girl = 7.6%)

4.8% currently use other tobacco products (Boy = 5.7%, Girl = 3.9%)

13.4% of never smokers are likely to initiate smoking next year

#### Knowledge and Attitudes

32.4% think boys and 18.6% think girls who smoke have more friends 13.5% think boys and 7.7% think girls who smoke look more attractive

### Access and Availability - Current Smokers

33.7% usually smoke at home

30.8% buy cigarettes in a store

71.0% who bought cigarettes in a store were NOT refused purchase because of their age

### Exposure to Secondhand Smoke (SHS)

37.2% live in homes where others smoke in their presence

68.7% are around others who smoke in places outside their home

84.7% think smoking should be banned from public places

68.9% think smoke from others is harmful to them

38.4% have one or more parents who smoke

6.7% have most or all friends who smoke

#### **Cessation - Current Smokers**

71.7% want to stop smoking

76.0% tried to stop smoking during the past year

54.3% have ever received help to stop smoking

## Media and Advertising

77.9% saw anti-smoking media messages, in the past 30 days

83.8% saw pro-cigarette ads on billboards, in the past 30 days

80.1% saw pro-cigarette ads in newspapers or magazines, in the past 30 days

19.1% have an object with a cigarette brand logo

10.3% were offered free cigarettes by a tobacco company representative

#### School

44.3% had been taught in class, during the past year, about the dangers of smoking 30.8% had discussed in class, during the past year, reasons why people their age smoke 41.6% had been taught in class, during the past year, the effects of tobacco use

### **Highlights**

- 14.3% of students currently use any form of tobacco; 12.0% currently smoke cigarettes; 4.8% currently use some other form of tobacco.
- SHS exposure is high over one-third of the students live in homes where others smoke, and 7 in 10 students are exposed to smoke around others outside of the home; close to 2 in 5 students have at least one parent who smokes.
- Seven in 10 students think smoke from others is harmful to them.
- Over 8 in 10 students think smoking in public places should be banned.
- More than 7 in 10 current smokers want to stop smoking.
- One in 5 students has an object with a cigarette brand logo on
- Over three-quarters of the students saw anti-smoking media messages in the past 30 days; 8 in 10 students saw procigarette ads on billboards and in newspapers or magazines in the past 30 days.