


## Zika-Epidemiological Report

# El Salvador

25 September 2017

**Figure 1.** Suspected and Confirmed Zika cases by epidemiological week (EW). El Salvador. EW 1 of 2016 to EW 33 of 2017.



Source: Data published by El Salvador Ministry of Health and reproduced by PAHO/WHO<sup>1</sup>

### FIRST AUTOCHTHONOUS VECTOR-BORNE CASES

In epidemiological week (EW) 46 of 2015, El Salvador health authorities reported that three samples tested positive for Zika virus by RT-PCR.

### GEOGRAPHIC DISTRIBUTION


As of EW 33 of 2017, all 14 departments in El Salvador have reported suspected cases of Zika virus infection.<sup>1</sup> Between EW 1 of 2016 and EW 33 of 2017, the highest incidence rates have been reported from the departments of Chalatenango (341 cases per 100,000 population), Cabañas (254 cases per 100,000) and Cuscatlán (253 cases per 100,000) (**Figure 2**).<sup>2-2</sup>

<sup>1</sup> El Salvador Ministry of Health. Epidemiological Bulletin. EW 33 of 2017. Available at:

<http://www.salud.gob.sv/download/boletin-epidemiologico-semana-33-del-13-al-19-agosto-de-2017/>

<sup>2</sup> El Salvador Ministry of Health. Epidemiological Bulletin. EW 52 of 2016. Available at: <http://www.salud.gob.sv/boletines-epidemiologicos-2016/#>

**Figure 2.** Suspected Zika cases per 100,000 population by department. El Salvador. EW 1 of 2016 to EW 33 of 2017




Source: Data published by the El Salvador Ministry of Health and reproduced by PAHO/WHO<sup>2</sup>

## TREND

In 2017, information is available only for suspected cases. Between EW 1 and EW 33 of 2017, a total of 297 suspected Zika cases were reported in El Salvador, representing a significant reduction in cases compared to the same period in 2016<sup>1</sup> (**Figure 1**).<sup>1</sup> Since there is no information about confirmed cases in 2017, continuing transmission cannot be excluded. Between EW 47 of 2015 and EW 52 of 2016, a total of 51 confirmed cases were detected.<sup>3</sup>

Between EW 1 of 2016 and EW 33 of 2017, the highest rates of incidence have been observed in children under 1 year (343 cases per 100,000 population) and adults aged 20-29 years (291 cases per 100,000) (**Figure 3**).<sup>1</sup>

**Figure 3.** Incidence rate of suspected Zika cases per 100,000 population by age-group. El Salvador. EW 1 of 2016 – EW 33 of 2017.<sup>3</sup>




Source: Data published by El Salvador Ministry of Health and reproduced by PAHO/WHO<sup>2-3</sup>

## CIRCULATION OF OTHER ARBOVIRUSES

Between EW 1 and EW 31 of 2017, a total of 80 probable dengue cases were reported, with trend below the epidemic threshold which is established with data from the past five years (**Figure 4**). As of EW 33 of 2017, there has been a significant reduction in the number of suspected chikungunya cases compared to the same period in 2016 (**Figure 5**).<sup>1</sup> Between 2015 and 2016, El Salvador experienced simultaneous circulation of dengue and chikungunya, with seasonal peaks between July and August.

**Figure 4.** Suspected cases of dengue by EW of symptom onset. El Salvador. 2011-2016 and up to EW 33 of 2017.




Source: Data published by the El Salvador Ministry of Health and reproduced by PAHO/WHO<sup>1</sup>

<sup>3</sup> Population projection by age group for El Salvador available at:

<http://www.digestyc.gob.sv/index.php/novedades/avisos/540-el-salvador-estimaciones-y-proyecciones-de-poblacion.html>

**Figure 5.** Suspected chikungunya cases by EW. El Salvador. 2016 up to EW 33 of 2017.



Source: Data published by the El Salvador Ministry of Health<sup>2</sup>

## ZIKA VIRUS DISEASE IN PREGNANT WOMEN

Between EW 47 of 2015 and EW 33 of 2017, a total of 391 pregnant women with suspected Zika virus infection were reported.<sup>1-3</sup> Of the 33 pregnant women reported in 2017, six already gave birth with no anomalies detected.<sup>1</sup>

## ZIKA COMPLICATIONS

### ZIKA-VIRUS-ASSOCIATED GUILLAIN-BARRÉ SYNDROME (GBS)

Between EW 46 of 2015 and EW 5 of 2017, El Salvador reported 313 cases of Guillain-Barré syndrome (GBS)<sup>4</sup>, including four deaths.<sup>3</sup> Annually, on average, 210 GBS cases are reported nationwide by El Salvador health authorities.<sup>5</sup> No new information has been received on GBS since EW 5 of 2017.

### CONGENITAL SYNDROME ASSOCIATED WITH ZIKA VIRUS INFECTION

As of EW 31 of 2016, four cases of microcephaly associated with Zika virus infection have been confirmed by El Salvador health authorities.<sup>3</sup> As of EW 31 of 2016, 109 microcephaly cases were reported, including the four that were laboratory-confirmed for Zika virus infection.<sup>3</sup> Of the remaining cases, 18 were positive for toxoplasmosis, 15 were positive for cytomegalovirus and 72 remain under investigation. Since then no new information was received.

<sup>4</sup> Reported to PAHO/WHO by the El Salvador IHR NFP on 13 February 2017

<sup>5</sup> PAHO/WHO Information Bulletin. Zika and Arboviruses. No 1. August 2016. Available at: [http://www.paho.org/els/index.php?option=com\\_content&view=article&id=1063&Itemid=0](http://www.paho.org/els/index.php?option=com_content&view=article&id=1063&Itemid=0)

## DEATHS AMONG ZIKA CASES

As of EW 35 of 2017, no deaths among Zika cases have been reported by El Salvador health authorities to PAHO/WHO.<sup>1,3</sup>

## NATIONAL ZIKA SURVEILLANCE GUIDELINES

Information on the national Zika surveillance guidelines is published on the El Salvador Ministry of Health website, which is available at:

[http://www.salud.gob.sv/archivos/vigi\\_epide2015/boletines\\_epidemiologicos2015/Boletin\\_epidemiologico\\_SE412015.pdf](http://www.salud.gob.sv/archivos/vigi_epide2015/boletines_epidemiologicos2015/Boletin_epidemiologico_SE412015.pdf)

Technical guidelines for the care and classification of children with microcephaly is available at:

[http://asp.salud.gob.sv/regulacion/pdf/lineamientos/lineamientos\\_tecnicos\\_atencion\\_ni%C3%B1os\\_con\\_microcefalia.pdf](http://asp.salud.gob.sv/regulacion/pdf/lineamientos/lineamientos_tecnicos_atencion_ni%C3%B1os_con_microcefalia.pdf)

## LABORATORY CAPACITY

Laboratory confirmation of suspected Zika cases is performed by molecular detection (*In house* real time RT-PCR) and serology (ELISA IgM detection) at the national reference laboratory by the El Salvador Ministry of Health. In addition, the PCR multiplex system from the United States Centers for Disease Control and Prevention (CDC) (Trioplex) has recently been established.

## INFORMATION-SHARING

At the time of this report, the latest information provided by the El Salvador IHR National Focal Point was from EW 25 of 2017 and the latest information available on the El Salvador Ministry of Health website was from EW 33 of 2017.