Antigua and Barbuda (Ages 13-15) Global Youth Tobacco Survey (GYTS)



FACT SHEET

The Antigua and Barbuda GYTS includes data on prevalence of cigarette and other tobacco use as well as information on five determinants of tobacco use: access/availability and price, exposure to secondhand smoke (SHS), cessation, media and advertising, and school curriculum. These determinants are components Antigua and Barbuda could include in a comprehensive tobacco control program.

The Antigua and Barbuda GYTS was a school-based survey of students in grades 7, 8 and 9 conducted in 2004.

A two-stage cluster sample design was used to produce representative data for Antigua and Barbuda. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 100.0%, the class response rate was 100.0%, the student response rate was 91.8%, and the overall response rate was 91.8%. A total of 1,089 students aged 13-15 participated in the Antigua and Barbuda GYTS.

Prevalence

19.2% of students had ever smoked cigarettes (Boy = 20.4%, Girl = 17.6%)

14.1% currently use any tobacco product (Boy = 15.1%, Girl = 12.5%)

3.6% currently smoke cigarettes (Boy = 2.7%, Girl = 4.4%)

12.4% currently use other tobacco products (Boy = 13.4%, Girl = 10.9%)

11.5% of never smokers are likely to initiate smoking next year

Knowledge and Attitudes

33.1% think boys and 19.9% think girls who smoke have more friends 8.2% think boys and 8.3% think girls who smoke look more attractive

Exposure to Secondhand Smoke (SHS)

18.0% live in homes where others smoke in their presence

40.3% are around others who smoke in places outside their home

72.3% think smoking should be banned from public places

66.0% think smoke from others is harmful to them

18.6% have one or more parents who smoke

5.5% have most or all friends who smoke

Media and Advertising

71.8% saw anti-smoking media messages, in the past 30 days

60.6% saw pro-cigarette ads on billboards, in the past 30 days

48.7% saw pro-cigarette ads in newspapers or magazines, in the past 30 days

11.8% have an object with a cigarette brand logo

9.2% were offered free cigarettes by a tobacco company representative

School

43.8% had been taught in class, during the past year, about the dangers of smoking

27.1% had discussed in class, during the past year, reasons why people their age smoke

53.3% had been taught in class, during the past year, the effects of tobacco use

Highlights

- 14.1% of students currently use any form of tobacco; 3.6% currently smoke cigarettes; 12.4% currently use some other form of tobacco.
- SHS exposure is high 18.0% of students live in homes where others smoke, and 2 in 5 students are exposed to smoke around others outside of the home; almost 1 in 5 students has at least one parent who smokes.
- Two-thirds of the students think smoke from others is harmful to them.
- Nearly three-quarters of the students think smoking in public places should be banned.
- Close to 1 in 8 students have an object with a cigarette brand logo on it.
- Over 7 in 10 students saw antismoking media messages in the past 30 days; 6 in 10 students saw pro-cigarette ads on billboards and almost half saw pro-tobacco ads in newspapers or magazines in the past 30 days.