



### Demographics and socioeconomic

Total Population (in 1000) (2019)	74.14
Population <1 year of age (in 1000) (2019)	1.09
Population 1 year of age (in 1000)(2019)	1.09
Population <5 years of age (in 1000) (2019)	5.47
Women of childbearing age (2019)	36.18
Infant Mortality Rate (per 1000 live births) (2018)	13.80
Gross national income (US\$ per capita) current value (2018)	7,210.00
National Health Expenditure Public (2016)	3.41
National Health Expenditure Private (2016)	1.61

### Immunization system highlights

- There is no comprehensive multi-year plan (MYP) for immunization.
- A standing national technical advisory group on immunization (NITAG) with formal written terms of reference exists. The group met 3 times in 2019.
- 96% of spending on routine immunization is financed using government funds.
- 100% of spending on vaccine purchases is financed using government funds.
- A national nominal electronic immunization registry implementation is in progress.


### Immunization Schedule

DMA	Doses					
	1	2	3	4	5	6
BCG	B-1Y					
HepB_Pediatric	NB					
DTP-Hib						
DTP-Hib-HepB	2M	4M	6M			
DTP-Hib-IPV						
DTP-Hib-HepB-IPV						
DTP				18M	3Y	
IPV	2M					
OPV	4M	6M	18M	3Y	10-12Y	
MMR	12M	18M				
Pneumoco_conj						
Rotavirus						
Td						10-12Y and over
Tdap						
HPV	Initial dose 11-12 year olds	6 M after 1st dose				

### Vaccine Introduction

	Year
Bacterial Meningitis	
<i>Haemophilus influenzae</i> type b	2006
Hepatitis B	2006
HPV	
Influenza	
MMR1	1989
MMR2	2001
Pentavalent	2006
Pneumococcal Conjugate	
Rotavirus	
Tdap	
Tetavalent DPT-Hib or DPT-HepB	
Yellow Fever	

### Vaccination Coverage



### Surveillance Indicators - AFP (CARPHA)


	2019
Number of AFP suspected cases	8
AFP rate per 100,000 population <15 years old	0.57
% of cases with 1 adequate samples	100
% of cases investigated within <48 hours	100
% sites reporting	83

### Surveillance Indicators - MR (CARPHA)


	2019
Number of suspected cases	371
% of cases with adequate investigation	86
% of cases with adequate blood samples	98
% of samples received in laboratory <=5 days	9
% of laboratory samples results <=4 days	83




### Polio3 coverage and AFP rate per 100,000 children <15 years of age




### DTP3 coverage and number of reported diphtheria and pertussis cases




### Number of tetanus (no neonatal) and neonatal tetanus cases



### Proportion of municipalities by coverage range with DTP3 in children <1 years of age



### DTP1-DTP3 and DTP1-MMR1 Dropout Rate



### Vaccine Stockout

DMA	2013	2014	2015	2016	2017	2018	2019
AD Syringes							
BCG	●	●	●	●	●	●	●
Disposable Syringes	●	●		●	●	●	●
DTP	●	●	●	●	●	●	●
HepB	●	●	●	●	●	●	●
Hib	●	●		●	●	●	●
Influenza	●	●	●	●	●	●	●
IPV			●	●	●	●	●
Measles	●	●	●	●	●	●	●
Pneumo. Conjugate				●			
Polio	●	●	●	●	●	●	●
Reconst. Syringes		●		●			
Rotavirus				●			
Safety boxes	●	●	●	●	●	●	●
Tdap				●			
TT	●	●	●	●	●	●	●
Yellow Fever	●		●	●	●	●	●

**Legend**  
 NB/nb-newborn  
 M/m -month  
 Y/y-year  
 WCBA-women of childbearing age  
 ● with stockout  
 ● no stockout  
 no data available