

Bibliografía sobre enfermedades vesiculares y zoonosis

Bibliography on vesicular diseases and zoonoses

Enfermedades vesiculares/Vesicular diseases

ALMEIDA MR, RIEDER E, CHINSANGARAMN J, WARD G, BEARD C, GRUBMAN MJ, MASON PW.

Construction and evaluation of an attenuated vaccine for foot-and-mouth disease: difficulty adapting the leader proteinase-deleted strategy to the serotype O1 virus. *Virus Research* 1998; 55 (1): 49-60. Plum Island Animal Disease Center, United States Department of Agriculture, Agricultural Research Service, North Atlantic Area, Greenport, NY 11944, USA.

BARNETT PV, COX SJ.

The role of small ruminants in the epidemiology and transmission of foot-and-mouth disease. *Veterinary Journal* 1999; 158 (1): 6-13. Institute for Animal Health, Pirbright Laboratory, Ash Road, Pirbright, Woking, Surrey, GU24 0NF, UK.

BARNETT PV, SAMUEL AR, PULLEN L, ANSELL D, BUTCHER RN, PARKHOUSE RME.

Monoclonal antibodies, against O1 serotype foot-and-mouth disease virus, from a natural bovine host, recognize similar antigenic features to those defined by the mouse. *Journal of General Virology* 1998; 79 (7): 1687-1697. Institute for Animal Health, Pirbright Laboratory, Ash Road, Pirbright, Woking, Surrey GU24 0NF, UK.

BASTOS ADS, BERTSCHINGER HJ, CORDEL C, KEET D, BENGIS RG, GROBLER DG, THOMSON GR, VAN VUUREN CWJ.

Possibility of sexual transmission of foot-and-mouth disease from African buffalo to cattle. *Veterinary Record* 1999; 145 (3): 77-79. Onderstepoort Institute for Exotic Diseases, Private Bag X6, Onderstepoort, 0110, South Africa.

BAYRY J, PRABHUDAS K, BIST P, REDDY GR, SURYANARAYANA VVS.

Immuno affinity purification of foot-and-mouth disease virus type specific antibodies using recombinant protein adsorbed to polystyrene wells. *Journal of Virological Methods* 1999; 81 (1-2): 21-30. Indian Veterinary Research Institute, Bangalore 560 024, India.

BEARD C, WARD G, RIEDER E, CHINSANGARAM J, GRUBMAN MJ, MASON PW, LUBITZ W.

Development of DNA vaccines for foot-and-mouth disease, evaluation of vaccines encoding replicating and non-replicating nucleic acids in swine. *Journal of Biotechnology* 1999; 73 (2-3): 243-249. Plum Island Animal Disease Center, North Atlantic Area, Agricultural Research Service, United States Department of Agriculture, PO Box 848, Greenport, NY 11944-0848, USA.

BENITO A, REGENMORTEL MHV VAN.

Biosensor characterization of antigenic site A of foot-and-mouth disease virus presented in different vector systems. *FEMS Immunology and Medical Microbiology* 1998; 21 (2): 101-115. Biochemistry Laboratory, Universitat de Girona, 17071 Girona, Spain.

BERGMANN IE, ASTUDILLO V, MALIRAT V, NEITZERT E.

Serodiagnostic strategy for estimation of foot-and-mouth disease viral activity through highly sensitive immunoassays using bioengineered nonstructural proteins. *Veterinary Quarterly* 1998; 20 (supl 2): S6-S9. Pan American Foot-and-Mouth Disease Center (PAHO/WHO), Caixa Postal 589, 20.001, Rio de Janeiro, Brazil.

BIGERIEGO P, ROSAS MF, ZAMORA E, MARTINEZ SALAS E, SOBRINO F.

Heterotypic inhibition of foot-and-mouth disease virus infection by combinations of RNA transcripts corresponding to the 5' and 3' regions. *Antiviral Research* 1999; 44 (2): 133-141. Centro de Biología Molecular, Severo Ochoa (CSIC-UAM), 28049 Cantoblanco, Madrid, Spain.

BLANCOU J.

Histoire de l'épidémiologie des maladies animales transmissibles [History of transmissible animal diseases' epidemiology]. *Épidémiologie et Santé Animale* 1999; 36: 83-102. Office International des Epizooties, 12 rue de Prony, 75017 Paris, France.

BREM JJ, PERIOLO OH, ROUX JP.

Linfocitos "T" y respuesta humoral antiaftosa en bovinos con diferente disponibilidad de cobre-molibdeno. ["T" lymphocytes and humoral immune response to foot-and-mouth disease in cattle supplemented with different copper and molybdenum combinations]. *Revista de Medicina Veterinaria Buenos Aires* 1999; 80 (1): 14-18. Carrera del Investigador Científico del CONICET, Argentina.

BROCCHI E, DIEGO MI, BERLINZANI A, GAMBA D, SIMONE F, DIEGO MI.

Diagnostic potential of Mab-based ELISAs for antibodies to non-structural proteins of foot-and-mouth disease virus to differentiate infection from vaccination. *Veterinary Quarterly* 1998; 20 (supl 2): S20-S24. Istituto Zooprofilattico Sperimentale della Lombardia e dell' Emilia, Brescia, Italy.

BROWN F, BENKIRANE N, LIMAL D, HALIMI H, NEWMAN JFE, REGENMORTEL MHV VAN, BRIAND JP, MULLER S.

Delineation of a neutralizing subregion within the immunodominant epitope (GH loop) of foot-and-mouth disease virus VP1 which does not contain the RGD motif. *Vaccine* 1999; 18 (1-2): 50-56. Plum Island Animal Disease Center, USDA/ARS, P.O. Box 848, Greenport, NY 11944-0848, USA

CALLENS M, CLERCQ K de.

Highly sensitive detection of swine vesicular disease virus based on a single tube RT-PCR system and DIG-ELISA detection. *Journal of Virological Methods* 1999; 77 (1): 87-99. Veterinary and Agrochemical Research Centre, Groeselenberg 99, B-1180, Brussels (Ukkel), Belgium.

CALLENS M, CLERCQ K de, GRUIA M, DANES M.

Detection of foot-and-mouth disease by reverse transcription polymerase chain reaction and virus isolation in contact sheep without clinical signs of foot-and-mouth disease. *Veterinary Quarterly* 1998; 20 (supl 2): S37-S40. Veterinary and Agricultural Research Centre (VAR), Groeselenberg 99, B-1180 Brussels (Ukkel), Belgium.

CARRILLO C, BORCA M, MOORE DM, MORGAN DO, SOBRINO F.

In vivo analysis of the stability and fitness of variants recovered from foot-and-mouth disease virus quasispecies. *Journal of General Virology* 1998; 79 (7): 1699-1706. Centro de Investigación en Sanidad Animal, INIA, Valdeolmos, 28130 Madrid, Spain.

CARRILLO C, WIGDOROVITZ A, OLIVEROS JC, ZAMORANO PI, SADIR AM, GOMEZ N, SALINAS J, ESCRIBANO JM, BORCA MV.

Protective immune response to foot-and-mouth disease virus with VP1 expressed in transgenic plants. *Journal of Virology* 1998; 72 (2): 1688-1690. Instituto de Virología, C.I.C.V., INTA-Castelar, Buenos Aires, Argentina.

CASAS OLASCOAGA R, GOMES I, ROSENBERG FJ, AUGÉ DE MELLO P, ASTUDILLO V, MAGALLANES N.

Fiebre aftosa. São Paulo: Atheneu; 1999.

CHILLAUD T, BONJOUR P.

Les méthodes pouvant remplacer ou compléter la surveillance par échantillonnage en santé animale. [Methods to replace or complete surveillance by sampling in animal health]. *Épidémiologie et Santé Animale* 1998; 34: 57-62. Service de l'information et des échanges internationaux, Office International des Epizooties (OIE), 12 rue de Prony, 75017 Paris, France.

CHINSANGARAM J, BEARD C, MASON PW, ZELLNER MK, WARD G, GRUBMAN MJ.

Antibody response in mice inoculated with DNA expressing foot-and-mouth disease virus capsid proteins. *Journal of Virology* 1998; 72 (5): 4454-4457. Plum Island Animal Disease Center, Agricultural Research Service, USDA, Greenport, NY 11944, USA.

CHINSANGARAM J, PICCONE ME, GRUBMAN MJ.

Ability of foot-and-mouth disease virus to form plaques in cell culture is associated with suppression of alpha/beta interferon. *Journal of Virology* 1999; 73 (12): 9891-9898. Plum Island Animal Disease Center, North Atlantic Area, Agricultural Research Service, U.S. Department of Agriculture, P.O. Box 848, Greenport, NY 11944, USA.

COLLEN T, BARON J, CHILDERSTONE A, CORTEYN A, DOEL TR, FLINT M, GARCIA-VALCARCEL M, PARKHOUSE RME, RYAN MD.

Heterotypic recognition of recombinant FMDV proteins by bovine T-cells: the polymerase (P3Dpol) as an immunodominant T-cell immunogen. *Virus Research* 1998; 56 (2): 125-133. Department of Immunology, Institute for Animal Health, Ash Road, Pirbright, Surrey GU24 0NF, UK.

DEKKER A.

Inactivation of foot-and-mouth disease virus by heat, formaldehyde, ethylene oxide and gamma-radiation. *Veterinary Record* 1998; 143 (6): 168-169. Institute for Animal Science and Health, (ID-DLO) Research Branch Houtribweg, Houtribweg 39, PO Box 65 NL-8200 AB Lelystad, Netherlands.

DEKKER A, GIJSEN E.

The possible use of native foot-and-mouth disease non-structural protein 3A in a serological screening test. *Veterinary Quarterly* 1998; 20 (supl 2): S27-S28. Department of Mammalian Virology, Institute for Animal Science and Health, Lelystad, Netherlands.

DOMINGO E, VERDAGUER N, OCHOA WF, RUIZ JARABO CM, SEVILLA N, BARANOWSKI E, MATEU MG, FITA I, ZELL R, HAUSEN H zur.

Biochemical and structural studies with neutralizing antibodies raised against foot-and-mouth disease virus. *Virus Research* 1999; 62 (2): 169-175. Centro de Biología Molecular 'Severo Ochoa', Universidad Autónoma de Madrid, Cantoblanco, 28049 Madrid, Spain.

DONALDSON A.

Airborne spread of foot-and-mouth disease. *Microbiology Today* 1999; 26 (3): 118-119. Pirbright Laboratory of the Institute for Animal Health, Woking, Surrey GU24 0NF, UK.

DUNN CS, SAMUEL AR, PULLEN LA, ANDERSON J.

The biological relevance of virus neutralisation sites for virulence and vaccine protection in the guinea pig model of foot-and-mouth disease. *Virology* 1998; 247 (1): 51-61. Institute for Animal Health, Pirbright Laboratory, Ash Road, Pirbright, Woking, Surrey GU24 0NF, UK.

ESCARMIS C, CARRILLO EC, FERRER M, ARRIAZA JFG, LOPEZ N, TAMI C, VERDAGUER N, DOMINGO E, FRANZE FERNANDEZ MT.

Rapid selection in modified BHK-21 cells of a foot-and-mouth disease virus variant showing alterations in cell tropism. *Journal of Virology* 1998; 72 (12): 10171-10179. Centro de Biología Molecular "Severo Ochoa" (CSIC-UAM), Universidad Autónoma de Madrid, 28049 Madrid, Spain.

FARES MA, BARRIO E, BECERRA N, ESCARMIS C, DOMINGO E, MOYA A.

The foot-and-mouth disease RNA virus as a model in experimental phylogenetics. *International Microbiology* 1998; 1 (4): 311-318. Department of Genetics, University of Valencia, Dr. Moliner, 50., 46100 Burjassot, Valencia, Spain.

FELLU JX, BENITO A, OLIVA B, AVILES FX, VILLAVERDE

A Conformational flexibility in a highly mobile protein loop of foot-and-mouth disease virus: distinct structural requirements for integrin and antibody binding. *Journal of Molecular Biology* 1998; 283 (2): 331-338. Institut de Biologia Fonamental, Universitat Autònoma de Barcelona Bellaterra, 08193 Barcelona, Spain.

FOSTER M, COOK A, CEDILLO L, PARKHOUSE RME.

Serological and cellular immune responses to non-structural proteins in animals infected with FMDV. *Veterinary Quarterly* 1998; 20 (supl 2): S28-S30. Institute for Animal Health, Pirbright Laboratory, Surrey GU24 0NF, UK.

FREIBERG B, RAHMAN MM, MARQUARDT O.

Genetical and immunological analysis of recent Asian type A and O foot-and-mouth disease virus isolates. *Virus Genes* 1999; 19 (3): 167-182. Bundesforschungsanstalt für Viruskrankheiten der Tiere, D-72076 Tübingen, Paul-Ehrlich-Strasse 28, Germany.

GUARNE A, TORMO J, KIRCHWEGER R, PFISTERMUELLER D, FITA I, SKERN T.

Structure of the foot-and-mouth disease virus leader protease: a papain-like fold adapted for self-processing and eIF4G recognition. *EMBO Journal* 1998; 17 (24): 7469-7479. Centre d'Investigació i Desenvolupament (CSIC), Jordi Girona Salgado 18-26, E-08034 Barcelona, Spain.

KITCHING RP.

A recent history of foot-and-mouth disease. *Journal of Comparative Pathology* 1998; 118 (2): 89-108. Head, OIE/FAO World Reference Laboratory for Foot-and-Mouth Disease Virus, Institute for Animal Health, Pirbright Laboratory, Ash Road, Pirbright, Woking, Surrey GU24 0NF, UK.

KOKUHO T, WATANABE S, YOKOMIZO Y, INUMARU S.

Production of biologically active, heterodimeric porcine interleukin-12 using a monocistronic baculoviral expression system. *Veterinary Immunology and Immunopathology* 1999; 72 (3-4): 289-302. Laboratory of Bioengineering, Department of Biological Product, National Institute of Animal Health 3-1-1 Kannondai, Tsukuba, Ibaraki, 305-0856, Japan.

LUBROTH J, LOPEZ A, RAMALHO AK, MEYER RF, BROWN F, DARSIE GC.

Cattle response to foot-and-mouth disease virus nonstructural proteins as antigens within vaccines produced using different concentrations. *Veterinary Quarterly* 1998; 20 (supl 2): S13-S17. United States Department of Agriculture, Animal and Plant Health Inspection Services, National Veterinary Services Laboratories, Greenport, NY 11944, USA.

MACKAY DKJ.

Differentiating infection from vaccination in foot-and-mouth disease: summary and conclusions of the Final Meeting of Concerted Action CT93 0909. *Veterinary Quarterly* 1998; 20(supl 2): S2-S5. Institute for Animal Health, Ash Road, Pirbright, Woking, Surrey GU24 0NF.

MACKAY DKJ, FORSYTH MA, DAVIES PR, SALT JS.

Antibody to the nonstructural proteins of foot-and-mouth disease virus in vaccinated animals exposed to infection. *Veterinary Quarterly* 1998; 20 (supl 2): S9-S11. Institute for Animal Health, Ash Road, Pirbright, Woking, Surrey GU24 0NF, UK.

MALIRAT V, NEITZERT E, BERGMANN IE, MARADEI E, BECK E.

Detection of cattle exposed to foot-and-mouth disease virus by means of an indirect ELISA test using bioengineered nonstructural polyprotein 3ABC. *Veterinary Quarterly* 1998; 20 (supl 2): S24-S26. Pan American Foot-and-Mouth Disease Center (PAHO/WHO), Caixa Postal 589, 20.001, Rio de Janeiro, Brazil.

MARQUANT LE, GUIENNE B, REMOND M, COSQUER R, HUMBLLOT P, KAISER C, LEBRETON F, CRUCIERE C, GUERIN B, LAPORTE J, THIBIER M.

Exposure of in vitro-produced bovine embryos to foot-and-mouth disease virus. *Theriogenology* 1998; 50 (1): 109-116. UNCEIA, 13 Rue Jouet, BP 65, 94700 Maisons-Alfort, France.

MARQUARDT O, HAAS B.

Aims of the FMDV-specific RT-PCR as it is performed at the BFAV, Tuebingen laboratory. *Veterinary Quarterly* 1998; 20 (supl 2): S31-S32. Bundesforschungsanstalt fur Viruskrankheiten der Tiere, Paul-Ehrlich-Strasse 28, D 7400 Tubingen, Germany.

MARQUARDT O, HAAS B.

VP1-coding sequences of recent isolates of foot-and-mouth disease virus types A, O and Asia 1. *Virus Genes* 1998; 16 (2): 185-193. Bundesforschungsanstalt fur Viruskrankheiten der Tiere, Paul-Ehrlich-Strasse 28, D-72076 Tubingen, Germany.

MARTIN MJ, NUNEZ JI, SOBRINO F, DOPAZO J.

A procedure for detecting selection in highly variable viral genomes: evidence of positive selection in antigenic regions of capsid protein VP1 of foot-and-mouth disease virus. *Journal of Virological Methods* 1998; 74 (2): 215-221. TDI, Departamento de I + D, 28100 Alcobendas, Madrid, Spain.

MASON PW, GRUBMAN MJ, CHINSANGARAM J.

Protection of swine by live and inactivated vaccines prepared from a leader proteinase-deficient serotype A12 foot-and-mouth disease virus. *Vaccine* 1998; 16 (16): 1516-1522. USDA, ARS, NAA, Plum Island Animal Disease Center, P.O.Box 848, Greenport, NY 11944, USA.

MAYR GA, CHINSANGARAM J, GRUBMAN MJ.

Development of replication-defective adenovirus serotype 5 containing the capsid and 3C protease coding regions of foot-and-mouth disease virus as a vaccine candidate. *Virology* 1999; 263 (2): 496-506. Plum Island Animal Disease Center, USDA, ARS, NAA, PO Box 848, Greenport, New York 11944, USA.

MEZENCIO JMS, BABCOCK GD, KRAMER E, BROWN F.

Evidence for the persistence of foot-and-mouth disease virus in pigs. *Veterinary Journal* 1999; 157 (3): 213-217. Plum Island Animal Disease Center, P.O. Box 848, Greenport, NY 11944, USA.

MEZENCIO JMS, BABCOCK GD, MEYER RF, LUBROTH J, SALT JS, NEWMAN JFE, BROWN F.

Differentiating foot-and-mouth disease virus-infected from vaccinated animals with baculovirus-expressed specific proteins. *Veterinary Quarterly* 1998; 20 (supl 2): S11-S13. Plum Island Animal Disease Center, P. O. Box 848, Greenport, NY 11944, USA.

MORALES MARIN LF.

Balance del primer ciclo de vacunación contra la fiebre aftosa en el departamento de Antioquia. [Balance of the first vaccination cycle against foot-and-mouth disease in the Department of Antioquia]. *Noticampo* 1998; 8: 3-4. Seccional Antioquia, Chocó, Colombia.

MOSS A, HAAS B.

Comparison of the plaque test and reverse transcription tested PCR for the detection of FMDV in nasal swabs and probang samples. *Journal of Virological Methods* 1999; 80: 1, 59-67. Federal Research Centre for Virus Diseases of Animals, Paul-Ehrlich-Strasse 28, D-72076 Tubingen, Germany.

NEFF S, CARVALHO DS, RIEDER E, MASON PW, BLYSTONE SD, BROWN EJ, BAXT B.

Foot-and-mouth disease virus virulent for cattle utilizes the integrin alphavbeta3 as its receptor. *Journal of Virology* 1998; 72 (5): 3587-3594. Plum Island Animal Disease Center, Agricultural Research Service, U.S. Department of Agriculture, Greenport, NY 11944, USA.

NUNEZ JI, BLANCO E, HERNANDEZ T, DOPAZO J, SOBRINO F.

RT-PCR in foot-and-mouth disease diagnosis. *Veterinary Quarterly* 1998; 20 (supl 2): S34-S36. Tecnología para Diagnóstico e Investigación S.A. 28028, Madrid, Spain.

NUNEZ JI, BLANCO E, HERNANDEZ T, GOMEZ TEJEDOR C, MARTIN MJ, DOPAZO J, SOBRINO F.

A RT-PCR assay for the differential diagnosis of vesicular viral diseases of swine. *Journal of Virological Methods* 1998; 72 (2): 227-235. Tecnología para Diagnóstico e Investigación S.A., Alcobendas 28100, Madrid, Spain.

PUPPI NL.

La lucha contra la fiebre aftosa en la Argentina (revisión histórica). [The fight against foot-and-mouth disease in Argentina (historical review)]. *Revista de la Facultad de Agronomía Universidad de Buenos Aires* 1999; 18 (3): 185-190. Departamento de Economía, Facultad de Agronomía, Universidad de Buenos Aires, Av. San Martín 4453, 1417 Buenos Aires, Argentina.

RATISH G, VISWANATHAN S, SURYANARAYANA, VVS.

C-terminal region of VP1 of selected foot-and-mouth disease virus serotypes: expression in *E. coli* and affinity purification. *Acta Virologica* 1999; 43 (4): 205-211. Indian Veterinary Research Institute, Hebbal, Bangalore 560 024, India.

REID SM, ANSELL DM, FERRIS NP, HUTCHINGS GH, KNOWLES NJ, SMITH AW.

Development of a reverse transcription polymerase chain reaction procedure for the detection of marine caliciviruses with potential application for nucleotide sequencing. *Journal of Virological Methods* 1999; 82 (1): 99-107. Institute for Animal Health, Pirbright Laboratory, Pirbright, Woking, Surrey, GU24 0NF, UK.

RODRIGUES TORRES JG, LOPEZ INZAURRALDE A.

Erradicación de la fiebre aftosa en las Américas. [Eradication of foot and mouth disease in the Americas]. *Revista Brasileira de Medicina Veterinária* 1998; 20 (6): 230-231. Centro Panamericano de Fiebre Aftosa. Av. Presidente Kennedy, 7778 Duque de Caxias CEP: 25040-000 Rio de Janeiro, RJ, Brasil.

RUST RC, OCHS K, MEYER K, BECK E, NIEPMANN M.

Interaction of eukaryotic initiation factor eIF4B with the internal ribosome entry site of foot-and-mouth disease virus is independent of the polypyrimidine tract-binding protein. *Journal of Virology* 1999; 73 (7): 6111-6113. Institute of Biochemistry, D-35392 Giessen, Germany.

SAHA SN, NATARAJAN C.

Development and characterization of monoclonal antibodies to foot-and-mouth disease virus type 'C'. *Indian Journal of Experimental Biology* 1998; 36 (12): 1258-1263. Indian Veterinary Research Institute, Bangalore Campus, PO HA Farm, Bangalore 560 024, India.

SAMINA I, ZAKAY RONES Z, PELEG BA.

Homologous and heterologous antibody response of cattle and sheep after vaccination with foot-and-mouth disease and influenza viruses. *Vaccine* 1998; 16 (6): 551-557. State Laboratory for Vaccine Control, Kimron Veterinary Institute, POB 12, Beit Dagan, 50250 Israel.

SAMINA I, ZAKAY RONES Z, WELLER JI, PELEG BA.

Host factors affecting the homologous and heterologous immune response of cattle to FMDV: genetic background, age, virus strains and route of administration. *Vaccine* 1998; 16 (4): 335-339. State Laboratory for Vaccine Control, Kimron Veterinary Institute, P.O.B. 12, 50250 Beit Dagan, Israel.

SANZ PARRA A, BLASCO R, SOBRINO F, LEY V.

Analysis of the B and T cell response in guinea pigs induced with recombinant vaccinia expressing foot-and-mouth disease virus structural proteins. *Archives of Virology* 1998; 143 (2): 389-398. Centro de Investigación en Sanidad Animal, INIA, 28130, Valdeolmos, Madrid, Spain.

SANZ PARRA A, SOBRINO F, LEY V.

Infection with foot-and-mouth disease virus results in a rapid reduction of MHC class I surface expression. *Journal of General Virology* 1998; 79 (3): 433-436. Centro de Investigación en Sanidad Animal, INIA, Valdeolmos, 28130 Madrid, Spain.

SCHERBAKOV A, LOMAKINA N, DRYGIN V, GUSEV A.

Application of RT-PCR and nucleotide sequencing in foot-and-mouth disease diagnosis. *Veterinary-Quarterly* 1998; 20 (supl 2): S32-S34. All-Russian Research Institute for Animal Health, Vladimir, Russia.

SERRÃO UM.

Programa nacional de controle e erradicação da febre aftosa. [National programme for the control and eradication of foot-and-mouth disease]. *Revista Brasileira de Medicina Veterinária* 1999; 21 (6): 229-231. Membro da Academia Brasileira de Medicina Veterinária, Av. Presidente Vargas, 446 - Gr. 1004 - CEP 20085-900, Rio de Janeiro, Brazil.

SMITSAART EN, ZANELLI M, RIVERA I, FONDEVILA N, COMPAIRED D, MARADEI E, BIANCHI T, O'DONNELL V, SCHUDEL AA.

Assessment using ELISA of the herd immunity levels induced in cattle by foot-and-mouth disease oil vaccines. *Preventive Veterinary Medicine* 1998; 33 (1-4): 283-296. Instituto de Virología, Centro de Investigación en Ciencias Veterinarias, INTA, Castelar, Morón CC 77 (1708), Pcia, Buenos Aires, Argentina.

SOBRINO F, BLANCO E, GARCIA BRIONES M, LEY V.

Synthetic peptide vaccines: foot-and-mouth disease virus as a model. In: Brown F, Hendriksen CFM, Serasirdic C, eds. *Alternative to animals in the development and control of biological products for human and veterinary use*. Basel: Karger; 1999. p. 39-43 (Developments in biological standardization; vol 101). Centro de Biología Molecular Severo Ochoa (CSIC-UAM), Cantoblanco, Madrid, Spain.

SORENSEN KJ, HANSEN CM, MADSEN ES, MADSEN KG.

Blocking ELISAs using the FMDV non-structural proteins 3D, 3AB, and 3ABC produced in the baculovirus expression system. *Veterinary Quarterly* 1998; 20 (supl 2): S17-S20. Danish Veterinary Institute for Virus Research, Lindholm, DK4771 Kalvehave, Denmark.

SUAREZ VH, FORT MC, LORENZO RM, BUSETTI MR, ROBIOLO B.

Respuesta inmunológica inespecífica en terneros parasitados por nematodos. [Non-specific immune responses in calves infected with nematodes]. *Veterinaria Argentina* 1999; 16 (159): 663-671. INTA, EEA-Anguil, CC 11, 6326 Anguil, La Pampa, Argentina.

SUTMOLLER P.

Risk of disease transmission by llama embryos. *Revue Scientifique et Technique de l'Office International des Épizooties* 1999; 18 (3): 719-728. Animal Health Consultant, 2430 Crowncrest Drive, Richmond, VA 23233, USA.

VERDAGUER N, SCHOEHN G, OCHOA WF, FITA I, BROOKES S, KING A, DOMINGO E, MATEU MG, STUART D, HEWAT EA.

Flexibility of the major antigenic loop of foot-and-mouth disease virus bound to a Fab fragment of a neutralising antibody: structure and neutralisation. *Virology* 1999; 255 (2): 260-268. Departamento de Biología Molecular y Celular, CID (CSIC), Jordi Girona 18-26, 08034 Barcelona, Spain.

VERDAGUER N, SEVILLA N, VALERO ML, STUART D, BROCCHI E, ANDREU D, GIRALT E, DOMINGO E, MATEU MG, FITA I.

A similar pattern of interaction for different antibodies with a major antigenic site of foot-and-mouth disease virus: implications for intratypic antigenic variation. *Journal of Virology* 1998; 72 (1): 739-748. Centre de Investigació i Desenvolupament (CISC), Jordi Girona 6, 08028 Barcelona, Spain.

VILLAVERDE A, FELIU JX, ARIS A, HARBOTTLE RP, BENITO A, COUTELLE C.

A cell adhesion peptide from foot-and-mouth disease virus can direct cell targeted delivery of a functional enzyme. *Biotechnology and Bioengineering* 1998; 59 (3): 294-301. Institut de Biologia Fonamental and Departament de Genètica i Microbiologia, Universitat Autònoma de Barcelona, Bellaterra, 08193 Barcelona, Spain.

WACHSMAN MB, CASTILLA V, COTO CE.

Inhibition of foot and mouth disease virus (FMDV) uncoating by a plant-derived peptide isolated from *Melia azedarach* L leaves. *Archives of Virology* 1998; 143 (3): 581-590. Laboratorio de Virología, Departamento de Química Biológica, Facultad de Ciencias Exactas y Naturales, Universidad de Buenos Aires, Ciudad Universitaria, Buenos Aires, Argentina.

WIGDOROVITZ A, ZAMORANO P, BORCA MV, SADIR AM.

Modulation of the antigen presentation activity in foot-and-mouth disease virus (FMDV) vaccines by two adjuvants: avridine and a water soluble fraction of *Mycobacterium* sp. Vaccine

1998; 16 (17): 1627-1632. Instituto de Virología, C.I.C.V., INTA-Castelar, CC.77, Moron, (1708) Poia, Buenos Aires, Argentina.

ZAMORANO PI, WIGDOROVITZ A, FILGUEIRA DMP, ESCRIBANO JM, SADIR AM, BORCA MV.

Induction of anti-foot-and-mouth disease virus T and B cell responses in cattle immunized with a peptide representing ten amino acids of VP1. *Vaccine* 1998; 16 (6): 558-563. Instituto de Virología, C.I.C.V., INTA-Castelar, CC77, Moron, (1708) Pcia., Buenos Aires, Argentina.

WIGDOROVITZ A, PEREZ FILGUEIRA DM, ROBERTSON N, CARRILLO C, SADIR AM, MORRIS TJ, BORCA MV.

Protection of mice against challenge with foot-and-mouth disease virus (FMDV) by immunization with foliar extracts from plants infected with recombinant tobacco mosaic virus expressing the FMDV structural protein VP1. *Virology* 1999; 264 (1): 85-91. Instituto de Virología, CICV, INTA-Castelar, CC77, Morón, 1708 Pcia. de Buenos Aires, Argentina.

Zoonosis/Zoonoses

ALMEIDA LP, REIS DO.

Brucelose e bursite cervical em bovinos: uma revisão. [Brucellosis and supraspinous bursitis in bovine: a review]. *Revista Brasileira Medicina Veterinária* 1999; 21 (4): 149-152. DNS-Universidade Federal de Viçosa, Av. PH Rolfs s/n, Campus Universitário, 36571-000, Viçosa, MG, Brazil.

ALMOND JW, SPRATT BG.

Bovine spongiform encephalopathy and new variant Creutzfeldt-Jakob disease. Resurgent emergent infectious diseases. *British Medical Bulletin* 1998; 54 (3): 749-759. School of Animal and Microbial Sciences, University of Reading, Reading, RG6 6AJ, UK.

AUSTIN CC.

Bats and rabies. *Journal of the American Veterinary Medical Association* 1998; 213 (9): 1323-1325. Illinois Department of Public Health, Division of Infectious Diseases, 525 W Jefferson St. Springfield, IL 62761, USA.

CHOMEL BB.

New emerging zoonoses: a challenge and an opportunity for the veterinary profession. *Comparative Immunology, Microbiology and Infectious Diseases* 1998; 21 (1): 1-14. Department of Population Health and Reproduction, School of Veterinary Medicine, University of California, Davis, CA 95616, USA.

COSIVI O, MESLIN FX.

Future trends in veterinary public health. Bulletin World Veterinary Association 1999; 16 (2): 68-69. Animal and Food-related Public Health Risks, Department of Communicable Disease Surveillance and Response, World Health Organization, Geneva, Switzerland.

DOHOO IR, MCDONELL WN, RHODES CS, ELAZHARY YL.

Veterinary research and human health. Canadian Veterinary Journal 1998; 39 (9): 548-556. Atlantic Veterinary College, University of Prince Edward Island, 550 University Avenue, Charlottetown, Prince Edward Island C1A 4P3, Canada.

HIGGINS R.

Infections à caractère zoonotique incertain. [Infections of uncertain zoonotic origin]. Les zoonoses. Médecine Vétérinaire du Québec 1999; 29 (1): 29, 32-35. Département de Pathologie et Microbiologie, Faculté de Médecine Vétérinaire, Université de Montreal, C.P. 5000, Saint-Hyacinthe, Quebec J2S 7C6, Canada.

HOAR BR, CHOMEL BB, ARGAEZ-RODRIGUEZ FJ, COLLEY PA.

Zoonoses and potential zoonoses transmitted by bats. Journal of the American Veterinary Medical Association 1998; 212 (11): 1714-1720, World Health Organization, Department of Population Health and Reproduction, School of Veterinary Medicine, University of California, Davis, CA 95616, USA.

MANTOVANI A, PARODI P, POGLAYEN G.

Veterinary Urban Hygiene in developing countries. Giornale Italiano di Medicina Tropicale 1999; 4 (1-2): 21-29. WHO/FAO Collaborating Centre for Research and Training in Veterinary Public Health, Laboratorio di Parassitologia, Istituto Superiore di Sanita, Rome, Italy.