


Adolescent and Youth Health - 2017 Country Profile **PERU**




POPULATION

MALE

Source: United Nations Population Division: World Population Prospects. 2015 Revision



Adolescents and Youth, percentage of total population: 26%



ECONOMIC DEVELOPMENT

EDUCATION PARTICIPATION

Source: World Development Indicators (WDIs), The World Bank, 2016.


GDP per capita, PPP (current international \$) GDP growth (annual %) **413,759.5** (2016) **3.9** (2016)


Net enrollment rate, secondary (%) (2015)



MORTALITY RATES - Four Leading Causes of Death, by Age Group and Sex (per 100,000 Population)

Source: PAHO Regional Mortality Database, Pan American Health Organization (PAHO/WHO), 2016 Edition. Country latest mortality data available as of 2014.





Percentage of students
who ever seriously
considered attempting
suicide during the past 12

Students who actually
attempted suicide one or
more times during the past
friends


who had no close friends

Students who missed classes or school without permission 1+ of the past 30 days

Students whose parents usually understood their problems and worries the past 30 days

Source: 2010 Global School Health Survey (GSHS)

Students whose parents really usually knew what they do with free time the past 30 days






Adolescent and Youth Health - 2017 Country Profile **PERU**



SEXUAL AND REPRODUCTIVE HEALTH



Source: United Nations Population Division.
World Population Prospects: The 2015 Revision.




Sexual Behavior in Adolescents

FEMALE

MALE

(age group: 13-15 years old)



RISK FACTORS

Sources

GSHS - Global School Health Survey (WHO)

GYTS - Global Youth Tobacco Survey (PAHO)

OAS - Report on Drug Use in the Americas


FEMALE

TOTAL

Alcohol Use Prevalence of alcohol use among secondary school students (past month) Among students who ever drunk alcohol, those that the first drink was before age 14 yrs Binge drinking among secondary school students Prevalence of alcohol use among secondary school students (past year) Alcohol Use 13.1% 10.9% 62.0% 66.4% 2015 OAS 59.1% 61.7%

Tobacco Use

MALE



Overweight/Obesity/Diet

Students who usually drank carbonated soft drinks 1+ times per day the past 30 days

Students who were overweight (> +1SD from median for BMI for age and sex)

Students who were obese (> +2SD from median for BMI for age and sex)

2010 GSHS

18.7%
20.2%

21.8%
20.2%

4

Physical Activity

Students who went to physical education (PE)
class 3+ days weekly in the school year

Students who spent 3+ hours per day doing
sitting activities


2010 GSHS
2.2%
2.4%

28,4%
29,5%
28,9%

Students physically active at least 60 minutes
daily on 5+ days the past 7 days



Drug Use



Violence and Unintentional Injuries

