

Global & Regional Update. 2 PM WDC.

13 April 2020

Global 1,807,769
cases

113,868
deaths

212
countries/territories/areas


HIGHLIGHTS

In the Region of the Americas, an additional 34,668 cases and 1,832 deaths were reported in the past 24 hours – representing a 6% (cases) and 11% (deaths) relative increase compared to the previous day. Majority of the new cases (29,308) and deaths (1,528) continue to be from the United States of America.


- Other countries in the region with significant increase in cases compared to the previous day are Brazil (1,442 additional cases, 5.5% increase), Canada (1,084 additional cases, 5% increase) and Peru (671 additional cases, 10% increase).
- Three (3) countries/territories reported a ≥20% relative increase in confirmed cases compared with the previous day – Guyana (10 additional cases, 27% increase), Haiti (9 additional case, 29% increase), and Montserrat (2 additional cases, 22% increase) – and all three are in the Caribbean sub-region.
- To date, 13 of the 54 countries/territories in the region of the Americas (24%) have reported that they are at the “community transmission” phase of the outbreak. Most of these countries are in the North American (all 3 countries) and South American (7 /10 countries) sub-regions.
- Out of seven (7) countries in Central America, only Panama reported community transmission (3,400 cases and 87 deaths to date). Similarly, out of 34 countries/territories in the Caribbean sub-region, only two reported community transmission – the Dominican Republic which has the highest number of cases (3,167) and deaths (152) in the subregion, and Haiti which reported 40 cases including 3 deaths to date.
- Of the total 1,832 new deaths reported in the past 24 hours, (1,792 confirmed & 40 probable) majority were reported by the United States of America (1,528 additional deaths, 83%), followed by Brazil (99 new deaths, 5%), Ecuador (62 new deaths, 3%) and Canada (60 new deaths, 3%).

Global update – Top 5 countries with highest number of cumulative cases and deaths. As of 13 April 2020


Top 5 countries with highest number of cumulative cases



Top 5 countries with highest number of cumulative deaths



Map 1. Reported number of cumulative COVID-19 cases in the Region of the Americas and corresponding incidence rate (per 100,000 persons) by country/territory. As of 13 April 2020



Data Sources: Member States Ministries of Health
Map Production: Health Emergency Information & Risk Assessment (HIM),
PAHO Health Emergencies Department (PHE)
Digital cartography sources: SALB-PAHO

© PAHO-WHO, 2020. All rights reserved
The designations employed and the presentation of the material in these maps do not imply the expression of any opinion whatsoever on the part of the Secretariat of the Pan American Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Cumulative confirmed and probable COVID-19 cases reported by countries and territories in the Americas, as of 13 April 2020

Updated as of 2 PM

| Sub-Region | Country/Territory | Cases | | Deaths | | Recovered | % Relative Increase in Confirmed Cases | Transmission Type |
|--------------------------------------|------------------------------------|-----------|----------|-----------|----------|-----------|--|------------------------|
| | | Confirmed | Probable | Confirmed | Probable | | | |
| North America | Canada | 24,786 | 18 | 734 | | 6913 | 5% | Community transmission |
| | Mexico | 4,661 | | 296 | | | 10% | Community transmission |
| | United States of America (the) | 553822 | | 21972 | | 34450 | 6% | Community transmission |
| | Subtotal | 583,269 | 18 | 23,002 | 0 | 41,363 | 6% | |
| Central America | Belize | 14 | | 2 | | | 8% | Sporadic cases |
| | Costa Rica | 595 | | 3 | | 56 | 3% | Clusters of cases |
| | El Salvador | 137 | | 6 | | 22 | 10% | Clusters of cases |
| | Guatemala | 156 | | 5 | | 19 | 2% | Clusters of cases |
| | Honduras | 397 | | 25 | | 7 | 1% | Clusters of cases |
| | Nicaragua* | 9 | | 1 | | 3 | | Undetermined |
| | Panama | 3,400 | | 87 | | 29 | 5% | Community transmission |
| | Subtotal | 4,708 | 0 | 129 | 0 | 136 | 5% | |
| South America | Argentina | 2,252 | | 95 | | 515 | 14% | Community transmission |
| | Bolivia | 330 | | 27 | | 6 | 10% | Clusters of cases |
| | Brazil | 22,169 | | 1,223 | | | 7% | Community transmission |
| | Chile | 7,525 | | 82 | | 2,367 | 4% | Community transmission |
| | Colombia | 2,776 | | 109 | | 270 | 2% | Community transmission |
| | Ecuador | 7,529 | 424 | 355 | 424 | 597 | 1% | Community transmission |
| | Paraguay | 147 | | 6 | | 22 | 10% | Community transmission |
| | Peru | 7,519 | | 193 | | 989 | 10% | Community transmission |
| | Uruguay | 512 | | 7 | | 231 | 2% | Clusters of cases |
| | Venezuela (Bolivarian Republic of) | 181 | | 9 | | 93 | 6% | Clusters of cases |
| | Subtotal | 50,940 | 424 | 2,106 | 424 | 5,090 | 6% | |
| Caribbean and Atlantic Ocean Islands | Anguilla | 3 | | | | 1 | 0% | Sporadic cases |
| | Antigua and Barbuda | 23 | | 2 | | 3 | 10% | Clusters of cases |
| | Aruba | 92 | | | | 32 | 0% | Clusters of cases |
| | Bahamas (the) | 47 | | 8 | | 6 | 12% | Clusters of cases |
| | Barbados | 71 | | 4 | | 11 | 4% | Clusters of cases |
| | Bermuda | 57 | | 4 | | 29 | 14% | Clusters of cases |
| | Bonaire, Sint Eustatius, and Saba | 3 | | | | | 0% | Sporadic cases |
| | Cayman Islands | 53 | | 1 | | 6 | 0% | Clusters of cases |
| | Cuba | 726 | | 21 | | 121 | 9% | Clusters of cases |
| | Curacao | 14 | | 1 | | 8 | 0% | Sporadic cases |
| | Dominica | 16 | | | | 8 | 0% | Clusters of cases |
| | Dominican Republic (the) | 3,167 | | 177 | | 152 | 7% | Community transmission |
| | Falkland Islands (the) [Malvinas] | 5 | | | | 2 | 0% | Clusters of cases |
| | French Guiana | 88 | | | | 53 | 2% | Clusters of cases |
| | Grenada | 14 | | | | | 0% | Clusters of cases |
| | Guadeloupe | 143 | | 8 | | 67 | 0% | Clusters of cases |
| | Guyana | 47 | | 6 | | 8 | 27% | Clusters of cases |
| | Haiti | 40 | | 3 | | | 29% | Community transmission |
| | Jamaica | 72 | | 4 | | 16 | 4% | Clusters of cases |
| | Martinique | 157 | | 8 | | 50 | 1% | Clusters of cases |
| | Montserrat | 11 | | | | 1 | 22% | Sporadic cases |
| | Puerto Rico | 903 | | 45 | | | 1% | Clusters of cases |
| | Saint Barthélemy | 6 | | | | 4 | 0% | Sporadic cases |
| | Saint Kitts and Nevis | 12 | | | | 1 | 0% | Sporadic cases |
| | Saint Lucia | 15 | | | | | 0% | Sporadic cases |
| | Saint Martin | 33 | | 2 | | 13 | 0% | Sporadic cases |
| | Saint Pierre and Miquelon | 1 | | | | | 0% | Sporadic cases |
| | Saint Vincent and the Grenadines | 12 | | | | 1 | 0% | Sporadic cases |
| | Sint Maarten | 52 | | 9 | | 5 | 4% | Clusters of cases |
| | Suriname | 10 | | 1 | | 4 | 0% | Sporadic cases |
| | Trinidad and Tobago | 113 | | 8 | | 16 | 1% | Clusters of cases |
| | Turks and Caicos | 9 | | 1 | | | 0% | Sporadic cases |
| | Virgin Islands (UK) | 3 | | | | | 0% | Sporadic cases |
| | Virgin Islands (US) | 51 | | 1 | | 43 | 0% | Clusters of cases |
| | Subtotal | 6,069 | 0 | 314 | 0 | 661 | 5% | |
| | Total | 644,986 | 442 | 25,551 | 424 | 47,250 | 6% | |

*The number of confirmed cases for Nicaragua has been revised since the previous report; the current case count is 9.

Note: WHO recommends using the following categories to describe **transmission patterns** at national and sub-national levels (wherever possible) to guide decisions for preparedness,

| Category number | Category name | Definition |
|-----------------|------------------------|---|
| 1 | No cases | Countries/territories/areas with no cases |
| 2 | Sporadic cases | Countries/territories/areas with one or more cases, imported or locally detected |
| 3 | Clusters of cases | Countries/territories/areas experiencing cases, clustered in time, geographic location and/or by common exposures |
| 4 | Community transmission | Countries/area/territories experiencing larger outbreaks of local transmission defined through an assessment of factors including, but not limited to: - Large numbers of cases not linkable to transmission chains - Large numbers of cases from sentinel lab surveillance - Multiple unrelated clusters in several areas of the country/territory/area |