

Number of Reported Cases of Chikungunya Fever in the Americas, by Country or Territory
2015 (to week noted)
Cumulative cases
Epidemiological Week / EW 50 (Updated as of 18 December 2015)

| Country/Territory | Epidemiological Week ^a | Autochthonous transmission cases ^b | | Imported cases | Incidence Rate ^c | Deaths ^d | Population ^e X 1000 |
|---------------------------------------|-----------------------------------|---|---------------|----------------|-----------------------------|---------------------|-----------------------------------|
| | | Suspected | Confirmed | | | | |
| North America | | | | | | | |
| Bermuda | Week 17 | | | 3 | | | 70 |
| Canada | Week 36 | | | 85 | | | 35,871 |
| Mexico | Week 50 | | 11,199 | 20 | 8.9 | | 125,235 |
| United States of America ^f | Week 50 | | | 653 | | | 325,127 |
| Subtotal | | 0 | 11,199 | 761 | 2.3 | 0 | 486,303 |
| Central American Isthmus | | | | | | | |
| Belize | Week | | | | 0.0 | | 347 |
| Costa Rica | Week 20 | | 142 | | 2.8 | | 5,001 |
| El Salvador | Week 35 | 39,704 | 17 | | 618.1 | 0 | 6,426 |
| Guatemala | Week 21 | 7,342 | 522 | | 48.4 | 1 | 16,255 |
| Honduras | Week 45 | 82,003 | 5 | | 973.6 | 1 | 8,423 |
| Nicaragua | Week 41 | 52,942 | 3,962 | | 909.6 | 1 | 6,256 |
| Panama | Week 42 | 123 | 25 | 17 | | | 3,987 |
| Subtotal | | 182,114 | 4,673 | 17 | 400.0 | 3 | 46,695 |
| Latin Caribbean | | | | | | | |
| Cuba | Week | | | | 0.0 | | 11,248 |
| Dominican Republic | Week 28 | 67 | | | 0.6 | | 10,652 |
| French Guiana | Week 47 | 6,960 | 1,759 | | 3,340.6 | 2 | 261 |
| Guadaloupe | Week 46 | 157 | | | 33.4 | | 470 |
| Haiti | Week | | | | | | 10,603 |
| Martinique | Week 46 | 341 | | | 84.2 | | 405 |
| Puerto Rico ^g | Week 48 | 789 | 213 | | 27.2 | 1 | 3,680 |
| Saint Barthelemy | Week 18 | 317 | | | 3,561.8 | | 9 |
| Saint Martin (French part) | Week 46 | 602 | | | 1,686.7 | | 36 |
| Subtotal | | 9,233 | 1,972 | 0 | 30.0 | 3 | 37,364 |
| Andean Area | | | | | | | |
| Bolivia | Week 13 | 143 | 916 | 1 | 9.6 | | 11,024 |
| Colombia | Week 48 | 353,059 | 3,195 | | 719.3 | 69 | 49,529 |
| Ecuador | Week 47 | 29,354 | 4,157 | 21 | 206.5 | 2 | 16,225 |
| Peru | Week 47 | 85 | 100 | 77 | 0.6 | | 31,161 |
| Venezuela | Week 48 | 15,316 | 346 | 0 | 50.1 | 0 | 31,292 |
| Subtotal | | 397,957 | 8,714 | 99 | 292.1 | 71 | 139,231 |
| Southern Cone | | | | | | | |
| Argentina | Week 48 | | | 41 | | | 42,154 |
| Brazil | Week 47 | 9,055 | 6,784 | 7 | 7.8 | | 203,657 |
| Chile | Week 28 | | | 6 | | | 17,924 |
| Paraguay | Week 43 | 3,418 | 873 | | 61.0 | | 7,032 |
| Uruguay | Week | | | | | | 3,429 |
| Subtotal | | 12,473 | 7,657 | 54 | 7.3 | 0 | 274,196 |
| Non-Latin Caribbean | | | | | | | |
| Anguilla | Week 11 | 28 | 3 | | 193.8 | | 16 |
| Antigua and Barbuda | Week 8 | 16 | 0 | | 17.4 | | 92 |
| Aruba | Week 29 | 281 | 686 | | 863.4 | | 112 |
| Bahamas | Week 17 | | 10 | 1 | 2.6 | | 387 |
| Barbados | Week 25 | 82 | 0 | | 28.3 | | 290 |
| Cayman Islands | Week 8 | 67 | 1 | | 121.4 | | 56 |
| Curacao | Week | | | | | | 148 |
| Dominica | Week 5 | | | | 0.0 | | 73 |
| Grenada | Week | | | | | | 110 |
| Guyana | Week 2 | 5,310 | 29 | | 661.6 | | 807 |
| Jamaica | Week 6 | 299 | | | 10.6 | | 2,813 |
| Montserrat | Week 29 | 7 | 0 | | 140.0 | | 5 |
| Saint Kitts and Nevis | Week | | | | | | 51 |
| Saint Lucia | Week | | | | | | 163 |
| Saint Vincent and the Grenadines | Week 8 | 0 | 0 | | 0.0 | | 102 |
| Sint Maarten (Dutch part) | Week | | | | | | 40 |
| Suriname | Week | | | | | | 548 |
| Trinidad and Tobago | Week 30 | | 51 | | 3.8 | | 1,346 |
| Turks and Caicos Islands | Week | | | | | | 50 |
| Virgin Islands (UK) | Week | | | | | | 33 |
| Virgin Islands (US) ^h | Week 49 | 94 | 24 | | 114.6 | | 103 |
| Subtotal | | 6,184 | 804 | 1 | 95.1 | 0 | 7,345 |
| TOTAL | | 607,961 | 35,019 | 932 | 64.9 | 77 | 991,134 |

NOTES

^a Epidemiological Week for which information is available.

^b **Suspected case:** patient with acute onset of fever >38°C (101°F) and severe arthralgia or arthritis not explained by other medical conditions, and who resides or has visited epidemic or endemic areas within two weeks prior to the onset of the symptoms.
Confirmed case: a suspected case with any specific CHIK test (viral isolation, RT-PCR, Ig M, or four-fold increase of chikungunya specific antibodies titers) - PAHO/CDC confirmed case definition available at www.paho.org/chikungunya.

^c Incidence rate (autochthonous suspected + autochthonous confirmed) / 100,000 pop.

^d Deaths directly or indirectly related to Chikungunya.

^e United Nations and US Census. Estimates and projections based on national data. <http://www.paho.org/data/index.php/es/ind-demograficos/poblacion.html> , except St. Barthelemy ("Populations légales 2009 entrent en vigueur le 1er janvier 2012." Recensement de la population. INSEE. Retrieved 2 January 2014).

^f Department of Health data: <http://www.salud.gov.pr/Estadisticas-Registros-y-Publicaciones/Pages/Chikungunya.aspx>

^g The total cases excludes the data from Puerto Rico and US Virgin Islands.

^h Direct notification from the MOH to PAHO/WHO

Data source : Cases reported by IHR NFPs to PAHO/WHO and/or through Member States websites or official news publication