

Number of Reported Cases of Chikungunya Fever in the Americas, by Country or Territory
2017 (to week noted)
Cumulative cases
Epidemiological Week / EW 16 (Updated as of 21 April 2017)

Country/Territory	Epidemiological Week ^a	Autochthonous transmission cases ^b		Imported cases	Incidence Rate ^c	Deaths ^d	Population ^e X 1000
		Suspected	Confirmed				
North America							
Bermuda	Week				0.0		71
Canada	Week						36,626
Mexico	Week 14		10	0	0.01	0	130,223
United States of America ^f	Week 15			5	0.0	0	326,474
Subtotal		0	10	5	0.00	0	493,394
Central American Isthmus							
Belize	Week				0.0		374
Costa Rica	Week 12	119			2.43		4,905
El Salvador	Week 13	163	0	0	2.64	0	6,167
Guatemala	Week 9	83			0.49		17,005
Honduras	Week				0.00		8,304
Nicaragua	Week 14		8		0.13		6,217
Panama	Week 8	317		1	7.83		4,051
Subtotal		682	8	1	1.47	0	47,023
Latin Caribbean							
Cuba	Week						11,390
Dominican Republic	Week				0.00		10,766
French Guiana	Week				0.00		282
Guadeloupe	Week				0.00		472
Haiti	Week				0.00		10,983
Martinique	Week						396
Puerto Rico	Week 13		6		0.16		3,679
Saint Barthelemy	Week 5	0	0		0.00		7
Saint Martin (French part)	Week 5	0	0		0.00		32
Subtotal		0	6	0	0.02	0	38,007
Andean Area							
Bolivia	Week 9	539	0	0	4.88		11,052
Colombia	Week 14	417	6	0	0.86	0	49,067
Ecuador	Week 11		33		0.20		16,625
Peru**	Week 14	396	75		1.46		32,166
Venezuela	Week 12	73	6	0	0.25	0	31,925
Subtotal		1,425	120	0	1.10	0	140,835
Southern Cone							
Argentina	Week 13	0	0		0.00		44,272
Brazil	Week 12	19,634	7,220		12.71	7	211,243
Chile	Week 3			1	0.00		18,313
Paraguay*	Week 11	739	2		10.88		6,811
Uruguay	Week 2			1			3,456
Subtotal		20,373	7,222	2	9.71	7	284,095
Non-Latin Caribbean							
Anguilla	Week				0.00		17
Antigua and Barbuda	Week				0.00		95
Aruba	Week				0.00		115
Bahamas	Week				0.00		397
Barbados	Week				0.00		292
Cayman Islands	Week				0.00		58
Curacao	Week						149
Dominica	Week				0.00		74
Grenada	Week				0.00		111
Guyana	Week				0.00		774
Jamaica	Week 9		0		0.00		2,813
Montserrat	Week				0.00		5
Saint Kitts and Nevis	Week				0.00		52
Saint Lucia	Week				0.00		164
Saint Vincent and the Grenadines	Week				0.00		102
Sint Maarten (Dutch part)	Week				0.00		42
Suriname	Week				0.00		552
Trinidad and Tobago	Week				0.00		1,369
Turks and Caicos Islands	Week				0.00		52
Virgin Islands (UK)	Week				0.00		35
Virgin Islands (US)	Week						102
Subtotal		0	0	0	0.00	0	7,370
TOTAL		22,480	7,366	8	2.95	7	1,010,724

NOTES: only accumulated cases for the year 2017 are presented.

^a Epidemiological Week for which information is available. Changes in the data from week to week should be interpreted by taking into account the differences in surveillance systems.

^b **Suspected case:** patient with acute onset of fever >38°C (101°F) and severe arthralgia or arthritis not explained by other medical conditions, and who resides or has visited epidemic or endemic areas within two weeks prior the onset of the symptoms.

Confirmed case: a suspected case with any specific CHIK test (viral isolation, RT-PCR, Ig M, or four-fold increase of chikungunya specific antibodies titers) - PAHO/CDC confirmed case definition available at www.paho.org/chikungunya.

^c Incidence rate (autochthonous suspected + autochthonous confirmed) / 100,000 pop.

^d Deaths directly or indirectly related to Chikungunya.

^e Population Division of the Department of Economic and Social Affairs of the United Nations Secretariat, World Population Prospects: The 2015 Revision, <http://esa.un.org/unpd/wpp/index.htm>, July 2015.
International Programs Center, Population Division, U.S. Census Bureau. IDB Release Date: December 2013

^f In EW 5 of 2017, the number of suspected (cumulative) cases changed from 2 to 423, because both suspected and probable cases were included. http://vigiladg.gov.py/boletines/03_03_2017_12_07_12_Boletin-Epidemiologico_SE-5.pdf

**On March 3, 2017, the number of suspected cases increased from 175 to 170, based on the adjustments made by the Ministry of Health of Peru. On March 17, 2017, the number of confirmed cases decreased from 28 to 27, based on the adjustments made by the Ministry of Health of Peru. On April 20, 2017, the number of suspected cases decreased from 434 to 396 based on the adjustments made by the Ministry of Health of Peru, which are published: <http://www.dge.gob.pe/portal/docs/vigilancia/sala/2017/salaSE08.zip> and <http://www.dge.gob.pe/portal/docs/vigilancia/sala/2017/salaSE09.pdf> and <http://www.dge.gob.pe/portal/docs/vigilancia/sala/2017/SE14/chikun.pdf>

*** The cases correspond to what was notified during the year 2017 and up to the SE 9 because until SE 13 of 2017, the Ministry of Public Health and Social Assistance of Guatemala published the data for 2017. <http://epidemiologia.mspas.gob.gt/index.php/dos/salas-situacionales/situacion-de-semanas-epidemiologicas-2017>

**** Se utiliza una herramienta dispuesta por el Ministerio de Salud de Bolivia para realizar la consulta sobre los casos confirmados. La actualización de los datos es 15 de marzo de 2017 y la consulta se realizó el 29 de marzo 2017. http://estadisticas.minsalud.bo/bolreportes_vigilancia/default_vigilancia.aspx

[†] Department of Health data: <http://www.salud.gov.pr/Estadisticas-Registros-y-Publicaciones/Pages/Informe-Arboviral.aspx>

Data source: Cases reported by IHR NFPS to PAHO/WHO and/or through Member States websites or official news publication. Cases reported by CARPHA for non-Latin Caribbean countries, unless other source specified