

Zika cases and congenital syndrome associated with Zika virus reported by countries and territories in the Americas, 2015 - 201 Cumulative cases

Country/Territory	Autochthonous cases ^a		Imported cases		Deaths among	Confirmed congenital	Population
	Suspected	Confirmed	Imported cases	Incidence Rate ^b	Zika cases ^c	syndrome associated with Zika virus infection ^d	X 1000°,f
North America							
ermuda	0	0	6	0.00	0	0	71
anada	0	0	499	0.00	0	1	36.284
Inited States of America ¹	0	225	4.973	0.07	0	66	325.296
Subtotal	0	225	5,478	0.06	0	67	361,651
atin America and the Caribbean							
atin America							
Mexico ²	0	8,731	15	6.79	0	5	128,624
entral American Ishtmus							
lelize ³	1,294	206	0	404.31	0	0	371
Costa Rica	6,327	1,800	32	166.50	0	5	4,881
I Salvador ⁴	11,499 3.634	51	0	187.90 27.32	0	4	6,147 16,674
Suatemala ⁵	3,634 32.130	921 302	0	27.32 396.00	0	59 4	16,674 8.190
londuras	32,130	2.060	3	396.00	0	2	6.184
Panama ⁶	4,178	2,060	42	129.00	0	7	3,990
	59,062	6,309	77	140.77	0	81	46,437
Subtotal	39,062	6,309		140.77		81	46,437
atin Caribbean	0	187	58	164	0	0	11,392
Cuba Dominican Republic ⁷	4.906	345	0	49.04	0	54	10,708
French Guiana [®]	10.385	483	10	3937.68	0	17	276
rench Guiana Suadeloupe ⁸	30,845	382	0	6615.89	0	18	472
Haiti ⁹	2,955	5	0	27.12	0	1	10,916
Martinique [®]	36,680	21	0	9267.93	0	23	396
Puerto Rico ¹⁰	0	40,139	137	1090.44	5	29	3,681
Saint Barthelemy®	990	61	0	10510.00	0	0	10
aint Martin ⁸	3.280	200	0	9666.67	0	1	36
Subtotal	90,041	41,823	205	348.05	5	143	37.887
Andean Area							
Bolivia (Plurinational State of) ¹¹	1,767	585	4	21.44	0	14	10,971
colombia ¹²	97,936	9.802	0	221.46	0	150	48.650
Ecuador ¹³	3,972	1,330	15	32.12	0	3	16,506
Peru ¹⁴	4,782	1,006	22	18.10	0	0	31,970
Venezuela (Bolivarian Republic of) ¹⁵	59,965	2,413	0	197.91	0	0	31,518
Subtotal	168.422	15,136	41	131.47	0	167	139,615
Srazil ¹⁶	223,230	133.527	0	170.25	11	2.653	209.553
	225,250	153,327		1/0.23	- 11	2,033	209,333
Southern Cone							
Argentina ¹⁷	869	86	40	2.17	0	2	44,060
Chile	0	0	34	0.00	0	0	18,131
Paraguay ¹⁸	651	14	0	9.89	0	2	6,725
Jruguay	0	0	1	0.00	0	0	3,444
Subtotal	1,520	100	75	2.24	0	4	72,360
Non-Latin Caribbean							
Anguilla	29	23	1	305.88	0	0	17
Antigua and Barbuda	465	14	2	509.57	0	0	94
Aruba ²⁹	1,208	468	7	1470.18	0	0	114
lahamas		25	3	6.33 292.81		0	395
iarbados ²⁰	705 235	150 381	0	292.81 2464.00	0	1 0	292 25
ionaire, St Eustatius and Saba ²¹	235	381 31	10	2464.00 453.45	0	0	25 58
ayman Islands	2,589	1,259	0	453.45 2582.55	0	0	149
uracao Iominica	1,154	79	0	1666.22	0	0	74
irenada ²²	336	117	0	408.11	0	2	111
uyana	0	37	0	4.79	0	0	773
amaica ²³	7,655	203	0	279.84	0	0	2,808
Iontserrat	18	5	0	460.00	0	0	5
aint Kitts and Nevis	554	33	0	1107.55	0	0	53
aint Lucia	822	50	0	528.48	0	0	165
aint Vincent and the Grenadines	508	83	0	579.41	0	0	102
int Maarten (Dutch part) ²⁴	247	147	0	938.10	0	0	42
uriname	2,768	723	0	637.04	4	4	548
rinidad and Tobago	0	718	1	52.52	0	3	1,367
urks and Caicos Islands	201	25	3	434.62	0	0	52
Firgin Islands (UK)	74	52	0	360.00	0	0	35
/irgin Islands (US)	1,093	1,026	2	2057.28	0	0	103
Subtotal	20,893	5,649	29	359.55	4	10	7,382

OURCE: Cases reported by the BR National Focal Points to the WHO BHR Regional Contact Point for the Americas and through the Ministry of Health websites, 2016-17

OTTS: Data is shared in an effort to transparently disseminate available information reported by Member States. Any subsequent interpretation and analysis of this data should consider differences in surveillance systems and reporting requirements. Informance as Manufacture review and integrate retrospective data.

PHIO/WHO Ease definition for suspected and confirmed Data cases is available at: http://www.pabo.org/hn/index.php/loption=com_contentEview-article.bid=111178/htemid=415328/lang-en
Incidence reside budscribnosis suspected a subcirchhorous scraffered a vicidenthosis scraffered and confirmed Data.

Deaths among Zika cases do not include deaths related to Guillain-Barré syndrome (GBS) or congenital malformations associated with Zika virus infection. As of 12 May 2016, previously reported deaths related to GBS were removed from this total.

infirmed congenital syndrome associated with Zika virus infection case definition: Live newborn who meets the criteria for a suspected case of congenital syndrome associated with Zika virus AND Zika virus infection was detected in specime rulless of detection of other pathogens. Case definitions for congenital syndrome associated with Zika virus infection is available at: http://www.puho.org/hg/index.php?option-com_contentitivew=articlebid=111178/themid=415328/lang=er

Population Division of the Department of Economic and Social Affairs of the United Nations Secretariat, World Population Prospects: The 2015 Revision, http://esa.un.org/unpd/wpgs/index.htm, July 2015. Processed and revised by PAHO. Population by Ses and Ag or Countries and Territories of America. 2017. http://esw.pathos.pog/sca.pd/sca.p

erritories which reported their first Zika case in 2015, the population is based on the average between 2015-2017. For countries and territories which reported their first Zika case in 2016, the population is based on the average between 2015-2017 and not report Zika cases between 2015-2017, the population is based on the average between 2015-2017.

ned cases in the United States of America includes one laboratory acquired case. Available at: http://www.cdc.gov/zika/geo/united-states.html www.gob.mx/salud/prensa/050-primer-caso-de-microcefalia-asociado-con-zika

in the previous 2ka update from the Belize Ministry of Health on 18 January 2017, a total of 816 suspected and 73 confirmed cases were notified to PAHO/WHO (EW 2 of 2016 to EW 52 of 2016). On 8 May 2017, the Belize Ministry Health notified PAHO/WHO of 294 suspected cases and 206 confirmed cases correspond to new cases notified between EW 1 and 18 of 2017.

After retrospective review, laboratory-confirmed cases was adjusted by the El Salvador IHR National Focal Point as of 25 August 2016. of 17 March 2017, the number of suspected cases decreased based on the modification by the El Salvador Ministry of Health
http://www.mpsas.gob.gl/in/dex.php/en/que-e-zika.html

After retrospective review, laboratory-confirmed cases were re-classified as imported cases by the Panama Ministry of Health as of 25 August 2016.

As of 7 March 2017, the number of confirmed congenital syndrome associated with 28ka virus infection cases has decreased from 59 to 54, based on clinical review and later modifications done by the Dominican Republic Ministry of Public Health. http://digepicalud.gob.do/docs/Boletines/N20epidemic/N2/388.9gcov/Boletines/N20vennandes/2017/Bolet/N2/38emandHx2003-2017.pdf

Per the Cire Antilles Guyane Bulletin the epidemiological situation is classified in four level phases: Level 1 absence of autochthonous circulation; Level 2 initial autochthonous transmission; Level 3 epidemic, Level 4 end of epidemic and results. In the instant entitory reaches Level 3, the data on all confirmed cases is no longer included in the epidemiological bulletin. Martinique was classified as Level 3 ince 20 January 2016. Fard of French Guiana were classified as Level 3 on 22 January 2016 and 1 April 2016. Gu territory reaches Level 3, the data on all confirmed cases is no longer included in the epidemiological bulletin. Martinique was classified as Level 3 since 20 January 2018 Part of the China Chains are excited as Level 3 since 28 April 2016. Guada was classified as Level 3 since 28 April 2016. Guada was classified as Level 3 since 28 April 2016. For the China Chains are excited as Level 3 since 28 April 2016. For the China Chains are excited as Level 3 since 28 April 2016. Guada was classified as Level 3 since 29 April 2016. Guada was classified as Level 3 since 29 April 2016. Guada was classified as Level 3 since 29 April 2016. Guada was classified as Level 3 since 29 April 2016. Guada was classified as Level 3 since 29 April 2016. Guada was classified as Level 3 since 29 April 2016. Guada was classified as Level 3 since 29 April 2016. Guada was classified as Level 3 since 29 April 2016. Guada was classified as Level 3

On 20 January 2017, the number of confirmed cases were changed from 37,488 to 37,417 based on the modification by the Puerto Rico Department of Health.

As of 31 March 2017, the number of confirmed and suspected cases increased based on the update by the Bolivia Ministry of Health

On 9 December a joint publication between the National Institute of Health of Colombia, the US-CDC National Center on Birth Defects and Developmental Disabilities and the Colombia Ministry of Health reported that between 31 January and 12 November 2016, a tal of 147 microcephaly cases in fetus and infants had laboratory evidence of Zika virus infection by real-time reverse transcription-polymense chain reaction (RT-PCR) or immunohistochemistry.

On 5 May 2017, the Equador Ministry of Health notified PAHO/NHO of 3,972 suspected cases and 1,330 confirmed cases distributed between epidemiological week (EW) 52 of 2015 and 17 of 2017, of which 1,277 suspected cases and 450 confirmed cases notified between EW 1 and 17 of 2017. On 10 April the Equador Ministry of Health notified the first two confirmed cases of congenital syndrome associated with Zika virus corresponding to EW 52 of 2016 and EW 4 of 2017.

http://www.dag.gob.po/portal/index.php?option=com_contentBiview=articleBid=148bemid=154
in 26 April 2017, the Penu Ministry of Health notified 3.654 suspected and confirmed cases distributed between epidemiological week (BW) 1 and 16 of 2017, of which 2,467 suspected and confirmed cases correspond to newly notified cases between BW 13 and 16 of

review, laboratory-confirmed cases was adjusted by the Venezuela (Bolivarian Republic of) IHR National Focal Point as of 25 August 2016.
eathh case definition for confirmed cases of congenital syndrome associated with Zila virus infection includes confirmed and probable cases per PAHO's case definition. As of BW 14 of 2017, 863 cases were confirmed for Zila virus by lab

As of 11 November, suspected Zika cases were adjusted by the Brazil Ministry of Public Health after retro

No. 1.2 (Workless, Supercess Jata Laters were auguscus) up in a Baut minor ju in Zinan, return aim resoupcere review.

(Fig. 8 May 2011). the Agregation Minorisy of Health modified Silva Superced and 60 confirmed cases correspond to newly notified cases
between EW 1 and 16 of 2017. According to the Agrentina Ministry of Health, suspected cases are cases that could not be excluded by laboratory-based Zika diagnosis in areas with confirmed viral circulation as part of the nonspecific acute febrile syndrome surveillance
and the integrated disposition of arbonivance.

**But of 22 March 2017, the number of suspected cases decreased based on the modification by the Paraguay Ministry of Health

**But of 23 March 2017, the number of suspected cases decreased based on the modification by the Paraguay Ministry of Health

In the previous Zika update from the Netherlands Ministry of Health, Welfare and Sport on 13 February 2017, a total of 880 suspected and 34 confirmed cases were notified to PAHO (WHO SW 1 of 2015 to EW 5 of 2017), On 26 April 2017, the Netherlands Ministry of Health on Section (Section 2015), and the Section 2015 of 2015 to EW 5 of 2017, On 26 April 2017, the Netherlands (Section 2015), and the Section 2015 of 2015 to EW 5 of 2015 to EW 5 of 2015 to EW 5 of 2015, On 27 April 2017, the Netherlands (Section 2015), and the Section 2015 of 2015 to EW 5 of 2015 to EW 5 of 2015 to EW 5 of 2015, On 27 April 2017, the Barbados Ministry of Health on Section 2015 to EW 5 of 2015, On 27 April 2017, the Barbados Ministry of Health on Section 2015 to EW 5 of 2015, On 27 April 2017, the Barbados Ministry of Health on Section 2015 to EW 5 of 2015 to EW 5 of 2015, On 27 April 2017, the Barbados Ministry of Health on Section 2015 to EW 5 of 2015 to EW 5 of 2015, On 27 April 2017, the Barbados Ministry of Health on Section 2015 to EW 5 of 2

In the previous Zika update from the Netherlands Ministry of Health, Welfare and Sport on 13 February 2017, a total of 343 confirmed cases were notified to PAHO /WHO (EW 1 of 2016 to EW 2 of 2017), On 26 April 2017, the Netherlands Ministry of Sport notified 225 suspected and 381 confirmed cases reported for Bonaire (330), Sint Eustatius (27) and Saba (25).

After retrospective review, suspected cases were adjusted by the Gernada Ministry of Health as of 13 October 2016
In the previous Ziku update from the Jamaica Ministry of Health (MeH) on 27 January 2017, a total of 7.271 suspected cases were notified to PAHO / WHO (EW 16 of 2015 to EW 2 of 2017), On 9 April 2017, the Jamaica MoH notified 7,855 x.
AHOMHOO Counted thesement W16 of 2015 to EW 10 of 2017.

mation shared by the Netherlands IRIR NFT to PAHC/WHO, the confirmed Zika cases was adjusted for Sint Maarten. duction: PAHC/WHO AD CHA IR ARO. Cutation: Pan American Health Organization / World Health Organization. Zika suspected and confirmed cases reoo

inization, Zika suspected and confirmed cases reported by countries and territories in the Americas Cumulative cases, 2015-2017. Updated as of 11 May 2017. Washington, D.C. PAHO,WHO; 201