



160th SESSION OF THE EXECUTIVE COMMITTEE

Washington, D.C., USA, 26-30 June 2017

Provisional Agenda Item 7.8-C

CE160/INF/8 18 April 2017 Original: Spanish

C. PLAN OF ACTION FOR UNIVERSAL ACCESS TO SAFE BLOOD: MIDTERM REVIEW

Background

- 1. Universal access to safe blood for transfusion requires the strengthening of key strategies such as: self-sufficiency in blood and blood products through voluntary non-remunerated blood donation, improvements in the quality of donated blood (from the donor's arm to the recipient's arm), the maximization of appropriate blood use, the strengthening of human resources, the adoption of new advances, and the establishment of strategic partnerships with the different sectors involved in the area.
- 2. In 2014, the countries of the Region reaffirmed their commitment to universal health through the *Strategy for Universal Access to Health and Universal Health Coverage* (Document $\underline{CD53/5}$, Rev. 2). This commitment is also evidenced in the goals of the Strategic Plan of the Pan American Health Organization 2014-2019. Universal access to safe blood transfusions and blood products is essential for universal health coverage, helping to save millions of lives and improve the health of the people who need it (1, 2).
- 3. Since 1975, the World Health Assembly and the Executive Board of the World Health Organization (WHO) have considered many documents and adopted numerous resolutions on blood safety (WHA28.72 [1975], EB79.R1 [1987], WHA40.26 [1987], WHA45.35 [1992], WHA48.27 [1995], WHA53.14 [2000], WHA55.18 [2002], WHA56.30 [2003], WHA58.13 [2005], WHA63.12 [2010], WHA63.18 [2010], and WHA63.20 [2010]) (3-14).
- 4. Several such resolutions have been adopted in the Region of the Americas: CD41.R15 (1999), CD46.R5 (2005), CE142.R5 (2008), and CD48.R7 (2008). In 2014, the countries of the Region approved the Plan of Action for Universal Access to Safe Blood 2014-2019 (Document CD53/6) and corresponding resolution (CD53.R6), in which the Member States are urged to implement the Plan of Action and the Director to monitor and evaluate implementation of the Plan of Action and report periodically to the Governing Bodies (15-22).

- 5. The goal of the Plan is to promote universal access to safe blood through voluntary altruistic non-remunerated blood donation, appropriate blood use, and greater leadership on the part of the health authorities, who are urged to implement quality management programs in the transfusion chain (from promoting voluntary donation to monitoring patients) and to integrate the blood system into the national health system. The Plan calls for the ultimate restructuring of blood services into efficient, sustainable models (22).
- 6. In addition, the Plan defines four strategic lines of action aimed at maintaining achievements and tackling new challenges: *a*) effective and sustainable integration of national programs and services into the national health system to achieve blood self-sufficiency, safety, efficiency, availability, and universal access to blood and blood products; *b*) self-sufficiency in safe blood and blood products through 100% voluntary non-remunerated donations; *c*) quality management in the national blood system and screening for transfusion-transmitted infections; and *d*) health surveillance, hemovigilance, risk management, monitoring, and evaluation. Each strategic line has its respective objectives and progress indicators, which will be examined in this document (22).

Progress toward meeting Plan of Action objectives 1,2,3

Strategic line	Objective	Indicator and target	Progress
1. Effective and sustainable integration of national blood programs and services into the national health system to achieve blood self-sufficiency, safety, efficiency, availability, and	1.1	1.1.1. By 2019, 36 countries will have a specific functioning entity in the ministry of health that is responsible for planning, monitoring, and evaluation of the national blood system. (Baseline 27/41)	27 countries have a specific entity, 17 in Latin America and 10 in the Caribbean.
		1.1.2. By 2019, 21 countries will have a functioning intersectoral national blood commission or advisory mechanism. (Baseline 14/41)	16 countries have a national commission, 8 in Latin America and 8 in the Caribbean.

It should be borne in mind that the number of countries and territories evaluated and monitored in this plan has increased, as some territories that formerly issued a joint report have now been disaggregated by French Department of the Americas (DFA: Martinique, Guadeloupe, and French Guiana), although this latter department was not included because blood is not processed there.

² The calculation tables for the verification of indicators are based on the PAHO/WHO 2017 publication Supply of Blood for Transfusion in Latin American and Caribbean Countries 2014 and 2015, currently in production, with data sources from the national blood programs and ministries of health of Latin America and the Caribbean (23). Available from:

http://www.paho.org/hq/index.php?option=com_docman&task=doc_download&gid=38018&Itemid=270 (24). (Spanish only)

The baseline year is 2012.

Strategic line	Objective	Indicator and target	Progress
universal access to blood and blood products.		1.1.3. By 2019, 26 countries will have a blood policy that includes self-sufficiency, availability, and universal access to safe blood and blood products. (Baseline 18/41)	23 countries have a national blood policy, 14 in Latin America and 9 in the Caribbean.
	1.2	1.2.1. By 2019, 21 countries will have an integrated intersectoral national strategic blood plan that includes human resources training, monitoring and evaluation of the plan, and guaranteed resources for its implementation. (Baseline 13/41)	15 countries have a national strategic plan, 10 in Latin America and 5 in the Caribbean.
	1.3	1.3.1. By 2019, 17 countries with more than one processing center will have increased the average number of units processed (including screening) per blood bank/year to over 5,000 units as a result of the restructuring of the blood services network. (Baseline 12/25)	18 countries process more than 5,000 units of blood per blood bank/year, 9 in Latin America and 9 in the Caribbean.
2. Self-sufficiency in safe blood and blood products through 100% voluntary non- remunerated donations.	2.1	2.1.1. By 2019, 12 countries will have calculated their blood needs at the national and subnational level. (Baseline 6/41)	14 countries have calculated their blood needs, 6 in Latin America and 8 in the Caribbean.
	2.2	2.2.1. By 2019, 16 countries will have reached 100% voluntary non-remunerated blood donations. (Baseline 8/41)	10 countries have 100% voluntary blood donations, 2 in Latin America and 8 in the Caribbean.
3. Quality management in the national blood system and screening for transfusion-transmitted infections.	3.1	3.1.1. By 2019, 41 countries will screen 100% of blood units for transfusion for HIV, HBV, HCV, syphilis, and <i>T. cruzi</i> . (Baseline 39/41)	39 countries screen 100% of blood units, 18 in Latin America and 21 in the Caribbean.
		3.1.2. By 2019, 27 countries will have a national program for external serology performance evaluations. (Baseline 22/41)	30 countries have a national program for external serology performance evaluations, 13 in Latin America and

Strategic line	Objective	Indicator and target	Progress
			17 in the Caribbean.
		3.1.3. By 2019, 18 countries will have a national program for external immunohematology performance evaluations. (Baseline 12/41)	17 countries have a national program for external immunohematology performance evaluations, 7 in Latin America and 10 in the Caribbean.
	3.2	3.2.1. By 2019, 12 countries will have functioning transfusion committees in at least 75% of hospitals that perform daily transfusions. (Baseline 7/41)	19 countries have transfusion committees, 10 in Latin America and 9 in the Caribbean.
		3.2.2. By 2019, 30 countries will have national guidelines in place for the appropriate use of blood and blood products. (Baseline 20/41)	23 countries have guidelines in place for the appropriate use of blood and blood products, 14 in Latin America and 9 in the Caribbean.
		3.2.3. By 2019, there will be a 5% reduction in the Region in the number of red blood cell units discarded due to expiration. (Baseline 10.3%)	The percentage of discards due to expiration for Latin America and the Caribbean is 2.99%. (* See explanation for the reporting of this indicator in paragraph 9 of this report)
4. Health surveillance, hemovigilance, risk management, monitoring, and evaluation.	4.1	4.1.1. By 2019, 30 countries will have a national model for inspection, surveillance, and oversight in blood services. (Baseline 20/41)	25 countries conduct inspections of blood services, 15 in Latin America and 10 in the Caribbean.
	4.2	4.2.1. By 2019, 7 countries will have a national hemovigilance system. (Baseline 2/41)	9 countries have a national hemovigilance system, 5 in Latin America and 4 in the Caribbean.
	4.3	4.3.1. By 2019, 41 countries will annually report the indicators of the national plan in response to the implementation of the regional Plan 2014-2019.	36 countries have reported data for monitoring the indicators of the Plan, 18 in Latin America and 18 in the

Strategic line	Objective	Indicator and target	Progress
		(Baseline 0/41)	Caribbean.
	4.4	4.4.1. By 2019, 7 countries will have drafted risk management plans based on hemovigilance information. (Baseline 0/41)	5 countries have reported having risk management plans based on the hemovigilance information, 1 in Latin America and 4 in the Caribbean.

Progress and challenges

- 7. Latin American and Caribbean countries have made real efforts to achieve self-sufficiency, safety, and efficiency. Considering the established objectives (with targets and baselines for each indicator), progress has been made in all indicators except 1.1.1 and 3.1.1. The majority of the countries have specific national entities that coordinate the response to safe blood and blood product needs; however, updated national blood plans and policies with an integrated, intersectoral approach are still needed, as are functioning national intersectoral commissions that facilitate implementation. Progress is slowly being made in the restructuring of blood services networks, which is essential for ensuring the availability of blood and access to it anywhere it is needed. Given the geodemographic characteristics of some Caribbean countries, this restructuring of blood services networks may not be applicable. (See Reference 24, Tables 1-5).
- 8. More countries know their national blood needs, which facilitates greater availability and access to blood and blood products. However, the challenge persists of achieving regular voluntary altruistic non-remunerated donation as the first pillar of blood safety. In this regard, the countries are making very slow progress toward reaching the target of 100% for this kind of donation. However, while some countries have not yet reached that target, they have at least substantially increased the number of voluntary non-remunerated donors—an effort that should be recognized. (See Reference 24, Tables 6 and 7).
- 9. With respect to quality management in Latin America, 100% screening was achieved for HIV, hepatitis B and C, and syphilis markers, but not for *T. cruzi*. The average screening achieved in 21 Caribbean countries is 99.99%. Progress has been made in the implementation of national programs for external serology performance evaluation; nevertheless, the challenge of establishing the same program for immunohematology remains. With respect to the rational use of blood and blood products, some progress has been made in establishing national guidelines for clinical use and hospital transfusion committees. With respect to the discarding of red blood cells due to expiration, at the time the plan was prepared, this data had not been disaggregated by expiration and other causes; as a result, the indicator reported was based on red blood cells discarded for both causes. The majority of countries in the Region are currently in a position to report

exclusively about expiration; thus, the percentage of discards has fallen, due, on the one hand, to this factor and, on the other, to the progress made in restructuring the services and knowledge of blood needs, as explained in paragraphs 7 and 8, respectively. (See Reference 24, Tables 8-12).

10. Inspection and oversight of blood services, hemovigilance, and risk management still pose a real challenge. The weakness of information management systems and mechanisms hinders the knowledge, research, and data analysis needed to evaluate self-sufficiency, availability, access, and the risks associated with the transfusion chain. (See Reference 24, Tables 13-16).

Action necessary to improve the situation

- a) Ensure resource allocation based on national blood safety targets and plans.
- b) Restructure integrated blood services networks in the national health system, promote regular voluntary altruistic non-remunerated donation, and strengthen human resources, quality management, appropriate use of blood and blood products, health surveillance, hemovigilance, and risk management, including all processes that involve both donors and patients (throughout the transfusion chain).
- c) Strengthen information management systems that will make it possible to visualize and determine whether there is a sufficient, timely, accessible, and safe blood supply and how it is linked with national morbidity and mortality.
- d) Continue Pan American Sanitary Bureau support to the Member States for increasing blood safety through self-sufficiency, availability, timeliness, and access based on regular voluntary altruistic non-remunerated donations.

Action by the Executive Committee

11. The Committee is requested to take note of this report and formulate the recommendations it deems pertinent..

References

1. Pan American Health Organization. Strategy for universal access to health and universal health coverage [Internet]. 53rd Directing Council of PAHO, 66th Session of the Regional Committee of WHO for the Americas: 2014 Sep 29-Oct 3; Washington, DC. Washington, DC: PAHO 2014 (Document CD53/5) [cited 2017 Jan 25]. Available from: http://www2.paho.org/hq/index.php?option=com_docman&task=doc_download&gi d=27312&Itemid=270&lang=en

- 2. Pan American Health Organization. Strategic and programmatic orientations for the Pan American Sanitary Bureau, 1999-2002 [Internet]. 25th Pan American Sanitary Conference of PAHO, 50th Session of the Regional Committee of WHO for the Americas; 1998 Sep 21-25, Washington, DC. Washington, DC: PAHO; 1998 [cited 2017 Jan 25]. Available from: http://www1.paho.org/english/gov/csp/csp25_8.pdf
- World Health Organization. Utilization and supply of human blood and blood products: Official Records of the World Health Organization No. 226 [Internet]. 28th World Health Assembly, 1975 May 13-30; Geneva, Switzerland. Geneva: WHO; 1975 (Resolution WHA28.72, p. 40) [cited 2017 Jan 25]. Available from: http://apps.who.int/iris/bitstream/10665/86022/1/Official_record226_eng.pdf
- 4. World Health Organization. Blood and blood products [Internet]. 79th Session of the WHO Executive Board; 12-23 January 1987; Geneva, Switzerland. Geneva: WHO; 1987 (Resolution EB79.R1) [cited 2017 Jan 25]. Available from: http://www.who.int/bloodsafety/en/EB79.R1.pdf
- 5. World Health Organization. Global strategy for the prevention and control of AIDS [Internet]. 40th World Health Assembly; 1987 May 4-15; Geneva, Switzerland. Geneva: WHO; 1987 (Resolution WHA40.26) [cited 2017 Jan 25]. Available from: http://www.who.int/bloodsafety/en/WHA40.26.pdf
- 6. World Health Organization. Global strategy for the prevention and control of AIDS [Internet]. 45th World Health Assembly; 1992 May 4-14; Geneva, Switzerland. Geneva: WHO; 1992 (Resolution WHA45.35) [cited 2017 Jan 25]. Available from: http://digicollection.org/hss/documents/s15420e/s15420e.pdf
- 7. World Health Organization. Paris AIDS Summit [Internet]. 48th World Health Assembly; 1995 May 1-12; Geneva, Switzerland. Geneva: WHO; 1995 (Resolution WHA48.27) [cited 2017 Jan 25]. Available from: http://www.who.int/bloodsafety/en/WHA48.27.pdf?ua=1
- 8. World Health Organization. HIV/AIDS: confronting the epidemic [Internet]. 53rd World Health Assembly; 2000 May 15-20; Geneva, Switzerland. Geneva: WHO; 2000 (Resolution WHA53.14) [cited 2017 Jan 25]. Available from: http://apps.who.int/gb/archive/pdf_files/WHA53/ResWHA53/14.pdf
- 9. World Health Organization. Quality of care: patient safety [Internet]. 55th World Health Assembly; 2002 May 13-18; Geneva, Switzerland. Geneva: WHO; 2002 (Resolution WHA55.18) [cited 2017 Jan 25]. Available from: http://apps.who.int/gb/archive/pdf_files/WHA55/ewha5518.pdf?ua=1

- 10. World Health Organization. Global health-sector strategy for HIV/AIDS [Internet]. 56th World Health Assembly; 2003 May 19-28; Geneva, Switzerland. Geneva: WHO; 2003 (Resolution WHA56.30) [cited 2017 Jan 25]. Available from: http://apps.who.int/gb/archive/pdf_files/WHA56/ea56r30.pdf
- World Health Organization. Blood safety: proposal to establish World Blood Donor Day [Internet]. 58th World Health Assembly; 2005 May 16-25; Geneva, Switzerland. Geneva: WHO; 2005 (Resolution WHA58.13, p. 77) [cited 2017 Jan 25]. Available from: http://apps.who.int/gb/ebwha/pdf files/WHA58-REC1/english/A58 2005 REC1-en.pdf
- 12. World Health Organization. Availability, safety, and quality of blood products [Internet]. 63rd World Health Assembly; 2010 May 17-21; Geneva, Switzerland. Geneva: WHO; 2010 (Resolution WHA63.12) [cited 2017 Jan 25]. Available from: http://apps.who.int/gb/ebwha/pdf_files/WHA63/A63_R12-en.pdf
- 13. World Health Organization. Viral hepatitis [Internet]. 63rd World Health Assembly; 2010 May 17-21; Geneva, Switzerland. Geneva: WHO; 2010 (Resolution WHA63.18) [cited 2017 Jan 25]. Available from: http://apps.who.int/gb/ebwha/pdf_files/WHA63/A63_R18-en.pdf
- 14. World Health Organization. Chagas disease: control and elimination [Internet]. 63rd World Health Assembly; 2010 May 17-21; Geneva, Switzerland. Geneva: WHO; 2010 (Resolution WHA63.20) [cited 2017 Jan 25]. Available from: http://www.who.int/neglected_diseases/mediacentre/WHA_63.20_Eng.pdf
- 15. Pan American Health Organization. Strengthening blood banks in the Region of the Americas [Internet]. 41st Directing Council of PAHO, 51st Session of the Regional Committee of WHO; 1999 Sep 27-Oct 1; San Juan, Puerto Rico. Washington, DC: PAHO 1999 (Resolution CD41.R15) [cited 2017 Jan 25]. Available from: http://iris.paho.org/xmlui/bitstream/handle/123456789/1409/CD41.R15en.pdf?sequence=1
- 16. Pan American Health Organization. Progress report on the global safe blood initiative and plan of action for 2005-2010 [Internet]. 46th Directing Council of PAHO, 57th Session of the Regional Committee of WHO for the Americas; 2005 Sep 26-30, Washington, DC. Washington, DC: PAHO; 2005 (Resolution CD46.R5) [cited 2017 Jan 25]. Available from: http://www1.paho.org/english/gov/cd/CD46.r5-e.pdf
- 17. Pan American Health Organization. Blood transfusion and safety: progress report [Internet]. 142nd Session of the Executive Committee of PAHO; 2008 June 23-27; Washington, DC. Washington, DC: PAHO 2008 (Resolution CE142.R5) [cited 2017 Jan 25]. Available from: http://www1.paho.org/english/gov/ce/ce142.r5-e.pdf

- 18. Pan American Health Organization. Improving blood availability and transfusion safety in the Americas [Internet]. 48th Directing Council of PAHO, 60th Session of the Regional Committee of WHO for the Americas; 2008 29 Sep-Oct 3, Washington, DC. Washington, DC: PAHO; 2008 (Document CD48/11) [cited 2017 Jan 25]. Available from: http://www1.paho.org/english/gov/cd/cd48-11-e.pdf
- 19. Pan American Health Organization. Strategy and plan of action for Chagas disease prevention, control, and care [Internet]. 50th Directing Council of PAHO, 62nd Session of the Regional Committee of WHO for the Americas; 2010 Sep 27-Oct 1; Washington, DC. Washington, DC: PAHO; 2010 (Document CD50/16) [cited 2017 Jan 25]. Available from: http://new.paho.org/hq/dmdocuments/2011/cd50-16-e.pdf
- 20. Pan American Health Organization. Plan of action to accelerate the reduction of maternal mortality and severe maternal morbidity [Internet]. 148th Session of the Executive Committee de PAHO; 2011 Jun 20-24; Washington, DC. Washington, DC: PAHO; 2011 (Document CE148/16, Rev.1) [cited 2017 Jan 25]. Available from: http://www2.paho.org/hq/index.php?option=com_docman&task=doc_download&gid=13444&Itemid=270&lang=en
- 21. Pan American Health Organization. Regional strategic plan for HIV/STI, 2006-2015 of the Pan American Health Organization [Internet]. 46th Directing Council of PAHO, 57th Session of the Regional Committee of WHO for the Americas; 2005 Sep 26-30; Washington, DC. Washington, DC: PAHO; 2005 (Document CD46/20, Add. I) [cited 2017 Jan 25]. Available from: http://www1.paho.org/english/gov/cd/CD46-20a-e.pdf
- 22. Pan American Health Organization. Plan of action for universal access to safe blood [Internet]. 53rd Directing Council of PAHO, 66th Session of the Regional Committee of WHO for the Americas; 2014 29 Sep-Oct 3; Washington, D.C. Washington, DC: PAHO; (Document CD53/6) [cited 2017 Jan 25]. Available from: http://www2.paho.org/hq/index.php?option=com_docman&task=doc_download&gid=26750&Itemid=270&lang=en
- 23. Pan American Health Organization. Supply of Blood for Transfusion in Latin American and Caribbean Countries 2014 and 2015. Washington, DC: PAHO 2017; (in progress) [cited 12 2017 Apr 12].
- 24. Organización Panamericana de la Salud. Tablas de cálculos para la verificación de los indicadores [cited 2017 Apr 12]. Available from:

 http://www.paho.org/hq/index.php?option=com_docman&task=doc_download&gid=38018&Itemid=270 (Spanish only)

- - --