

# ISOLATION PRECAUTIONS – DROPLET

## MASK

- Surgical mask in case of direct patient care (<1 meter away)
- Ensure face mask is correctly adjusted



- Single room if possible
- Shared group room with separation of one meter between beds
- Always keep the door closed



- Avoid transfer of patients to other hospital areas
- If transfer is required, the patient must put on a surgical mask at all times whilst outside the room

## GOWN

- Use when at risk of splashing and contact with secretions
- Possible use of waterproof gown if extensive contact with secretions is anticipated



Hand hygiene before and after contact with the patient

## GLOVES

- Single-use against risk of splashing or contact with secretions



## GOGGLES

- If there is risk of splashing
- Can be replaced by a face shield



# ISOLATION PRECAUTIONS – AEROSOLS

## MASK

- Before entering the room, place a high efficiency respirator mask on (N95, pff2 or equivalent)
- Ensure face mask is correctly adjusted



## GOWN

- Use when at risk of splashing and contact with secretions
- Possible use of waterproof gown if extensive contact with secretions is anticipated



Hand hygiene before and after contact with the patient

## GLOVES

- Single-use against risk of splashing or contact with secretions



## GOGGLES

- If there is risk of splashing
- Can be replaced by a face shield



- Single room if possible
- Shared group room with separation of one meter between beds
- Ventilation always at the exterior of the building
- Always keep the door closed



- Avoid transfer of patients to other hospital areas
- if transfer is required, the patient must put on a surgical mask at all times whilst outside the room

# ISOLATION PRECAUTIONS – CONTACT

## GOWN

- Individual per patient case
- Disposable gown not necessary



*Hand hygiene before and after contact with the patient*

## GLOVES

- Single use
- Must be placed before entering room
- Stay inside the room at the end of visitation



## MASK

- In all situations indicated by safety precautions



## GOGGLES

- In all situations indicated by standard precautions



- Single room if possible
- Shared group room with separation of one meter between beds
- Always keep the door closed
- Patients require an exclusive bathroom



- Avoid transfer of patients to other hospital areas

# ISOLATION PRECAUTIONS – DROPLET

## MASK

- Surgical mask in case of direct patient care (<1 meter away)
- Ensure face mask is correctly adjusted



- Single room if possible
- Shared group room with separation of one meter between beds
- Always keep the door closed



- Avoid transfer of patients to other hospital areas
- If transfer is required, the patient must put on a surgical mask at all times whilst outside the room

## GOWN

- Use when at risk of splashing and contact with secretions
- Possible use of waterproof gown if extensive contact with secretions is anticipated



Hand hygiene before and after contact with the patient

## GLOVES

- Single-use against risk of splashing or contact with secretions



## GOGGLES

- If there is risk of splashing
- Can be replaced by a face shield



# ISOLATION PRECAUTIONS – AEROSOLS

## MASK

- Before entering the room, place a high efficiency respirator mask on (N95, pff2 or equivalent)
- Ensure face mask is correctly adjusted



## GOWN

- Use when at risk of splashing and contact with secretions
- Possible use of waterproof gown if extensive contact with secretions is anticipated



Hand hygiene before and after contact with the patient

## GLOVES

- Single-use against risk of splashing or contact with secretions



## GOGGLES

- If there is risk of splashing
- Can be replaced by a face shield



- Single room if possible
- Shared group room with separation of one meter between beds
- Ventilation always at the exterior of the building
- Always keep the door closed



- Avoid transfer of patients to other hospital areas
- if transfer is required, the patient must put on a surgical mask at all times whilst outside the room

# ISOLATION PRECAUTIONS – CONTACT

## GOWN

- Individual per patient case
- Disposable gown not necessary



Hand hygiene before and after contact with the patient

## GLOVES

- Single use
- Must be placed before entering room
- Stay inside the room at the end of visitation



## MASK

- In all situations indicated by safety precautions



- Single room if possible
- Shared group room with separation of one meter between beds
- Always keep the door closed
- Patients require an exclusive bathroom



- Avoid transfer of patients to other hospital areas

## GOGGLES

- In all situations indicated by standard precautions

