

Number of Reported Cases of Chikungunya Fever in the
Americas, by Country or Territory with Autochthonous
Transmission
2013-2014 (to week noted)

Cumulative cases

Epidemiological Week / EW 24 (Updated 13 June 2014)

Country/Territory	Week ^a	Cases ^b		Incidence Rate ^c	Deaths	Population ^d X 1000
		Suspected	Confirmed			
Latin Caribbean						
Cuba					0	11,266
Dominican Republic	Week 23	77,320	18	743.3	1	10,404
French Guiana [*]	Week 23		318	127.7	0	249
Guadeloupe	Week 22	35,000	1,328	7,795.7	1	466
Haiti	Week 23	11,802	14	114.5	0	10,317
Martinique	Week 23	35,000	1,515	9,038.4	9	404
Puerto Rico	Week 22		1	0.0	0	3,688
Saint Barthelemy	Week 23	570	142	8,000.0	0	9
Saint Martin (French part)	Week 23	3,380	793	11,692.4	3	36
Subtotal		163,072	4,129	453.9	14	36,839
Non-Latin Caribbean						
Anguilla	Week 13		33	206.3	0	16
Antigua and Barbuda	Week 20		4	4.4	0	90
Aruba			0	0.0	0	109
Bahamas			0	0.0	0	377
Barbados			0	0.0	0	289
Cayman Islands			0	0.0	0	54
Curacao			0	0.0	0	147
Dominica	Week 22	2,492	129	3,590.4	0	73
Grenada			0	0.0	0	110
Guyana	Week 23		16	2.0	0	800
Jamaica			0	0.0	0	2,784
Montserrat			0	0.0	0	5
Saint Kitts and Nevis	Week 21		22	43.1	0	51
Saint Lucia	Week 23	214	30	149.7	0	163
Saint Vincent and the Grenadines	Week 23	212	67	270.9	0	103
Sint Maarten (Dutch part) [‡]	Week 12		123	307.5	0	40
Suriname			0	0.0	0	539
Trinidad and Tobago			0	0.0	0	1,341
Turks and Caicos Islands ^{&}	Week 24		2	4.2	0	48
Virgin Islands (UK)	Week 19		20	62.5	0	32
Virgin Islands (US)	Week 24		1	1.0	0	105
Subtotal		2,918	447	46.2	0	7,276
TOTAL		165,990	4,576	386.6	14	44,115

NOTES

^a Epidemiological Week for which information is available.

^b **Suspected case:** patient with acute onset of fever >38°C (101°F) and severe arthralgia or arthritis not explained by other medical conditions, and who resides or has visited epidemic or endemic areas within two weeks prior the onset of the symptoms. **Confirmed case:** a suspected case with any specific CHIK test (viral isolation, RT-PCR, Ig M, or four-fold increase of CHIK specific antibodies titers) - PAHO/CDC confirmed case definition available at www.paho.org/chikungunya.

^c Incidence / 100,000 pop.

^d PAHO/WHO. Basic Indicators, 2013. http://www.paho.org/hq/index.php?option=com_docman&task=doc_download&gid=23535&Itemid=270&lang=en, except St. Barthelemy ("Populations légales 2009 entrent en vigueur le 1er janvier 2012." Recensement de la population. INSEE. Retrieved 2 January 2014).

Data source: Cases reported by IHR NFPs to PAHO/WHO and/or through Member States websites or official news publication

* Includes 133 (42%) imported cases.

[‡] Data published by *Le point épidémiologique*, N°11, 2014.

[&] Preliminary data.



Pan American
Health
Organization



World Health
Organization

REGIONAL OFFICE FOR THE Americas

Number of Imported Cases of Chikungunya Fever in the Americas, by Country or Territory

Weekly and Cumulative cases

Epidemiological Week / EW 24 (Updated 06
June 2014)

Country/Territory	Week ^a	Weekly Imported Cases	Cumulative Imported Cases
North America			
United States of America	Week 24	12	39
Central America Isthmus			
Panama	Week 21	2	2
Latin Caribbean			
Cuba	Week 24	3	5
Andean Area			
Venezuela	Week 24	2	2
Brazil	Week 24	7	7
Southern Cone			
Chile	Week 22	1	2
Non-Latin Caribbean			
Aruba	Week 06	1	1
Barbados	Week 23	1	1
TOTAL			59

NOTES

^a Epidemiological Week for which information is available.

* Only imported cases in countries or territories **without** autochthonous transmission; full epidemiology report on "Number of Reported Cases of Chikungunya Fever in the Americas, by Country or Territory with Autochthonous Transmission"

Data source : Cases reported by IHR NFPs to PAHO/WHO and/or through Member States websites or official news publication