



Epidemiological week/...

2026-05

Respiratory Viruses weekly report

Reporte semanal de Virus Respiratorios



Data as of February 13, 2026/
Datos hasta el 13 de Febrero de 2026



Respiratory Viruses Team/Equipo de Virus Respiratorios
(Infectious Hazard Management Unit/ Unidad de Gestión de Amenazas Infecciosas)



Cover/Portada	Subregional NAM
Data sources	CAN
Method.Note ENG	MEX
Method.Note ESP	MEX 2
Summary/Resumen ENG	USA
Summary/Resumen ENG 2	USA 2
Summary/Resumen ESP	Subregional CAR.
Summary/Resumen ESP 2	BLZ
Regional INF	CUB
Regional INF 4 EW/SE	DOM
Regional RSV	JAM
Regional SC-2	JAM 2
Regional ORV	LCA
Regional SARI-IRAG	SUR
% Positivity/%Positividad	BRB
Regional ILI- ETI	CYM
Subregional NAM	GUY
Subregional CAR.	GUY 2
Subregional CAM.	VCT
Subregional AND.	Subregional CAM.
Subregional BSC.	SLV
	GTM
	GTM 2
	HND
	HND 2
	NIC
	PAN
	PAN 2
	Subregional AND.
	BOL
	BOL 2
	COL
	COL 2
	ECU
	ECU 2
	PER
	PER 2
	Subregional BSC.
	ARG
	BRA
	BRA 2
	CHL
	CHL 2
	PRY
	PRY 2
	URY
	URY 2





The information presented in this update is based on data provided by Ministries of Health and National Influenza Centers of Member States to the global informatics platforms FluNet and FluID; and open data that Ministries of Health published on its website or shared with PAHO/WHO.

© Pan American Health Organization, 2024
Somerrights reserved. This work is available under license CC BY-NC-SA 3.0 IGO.

La información presentada en esta actualización se obtiene a partir de los datos notificados por los Ministerios de Salud y los Centros Nacionales de Influenza de los Estados Miembros a las plataformas informáticas globales de la OPS/OMS: FluNet y FluID; y de los datos en abierto que los Ministerios de Salud publican en sus páginas web o comparten con la OPS/OMS.

© Organización Panamericana de la Salud, 2024
Algunos derechos reservados. Esta obra está disponible en virtud de la licencia CC BY-NC-SA 3.0 IGO.

PAHO interactive data / Datos interactivos de la OPS:

PAHO Influenza: [Influenza Situation - Region of the Americas - PAHO/WHO | Pan American Health Organization](#)

PAHO RSV: [Respiratory Syncytial Virus \(RSV\) Situation - Region of the Americas - PAHO/WHO | Pan American Health Organization](#)

PAHO COVID-19: [SARS CoV2 Situation - Region of the Americas - PAHO/WHO | Pan American Health Organization](#)

Situation Report / Informe de situación: [Influenza Situation Report - PAHO/WHO | Pan American Health Organization](#)

Severe acute respiratory infections network – SARI*net* plus
Red de las infecciones respiratorias agudas graves – SARI*net* plus
<http://www.sarinet.org>





Abbreviations Glossary:

ILI: Influenza-Like Illness
ARI: Acute Respiratory Infection
SARI: Severe Acute Respiratory Infection
RSV: Respiratory Syncytial Virus
SARS-CoV-2: Severe Acute Respiratory Syndrome Coronavirus 2
WHO: World Health Organization
PISA: Pandemic Influenza Severity Assessment

Percentage positivity from FluNet data:

The positivity percentages reported in FluNet are derived from the national total of processed and reported samples, encompassing both sentinel and non-sentinel origins. Countries exclusively reporting sentinel data will see this information reflected in the bulletin, while those reporting from both sources will obtain indicators resulting from a combination of both. For calculating the positivity percentage for influenza, RSV, and other respiratory viruses, the denominator includes the total processed samples (excluding SARS-CoV-2). For the SARS-CoV-2 positivity percentage, the denominator includes the total samples processed specifically for this virus, reported separately. All percentages are smoothed by applying a moving average with a 3-week window that includes data from the reference week and the previous two weeks.

Percentage of cases attributable to respiratory viruses for ILI and SARI from FluID data:

The percentages of cases attributable to influenza, RSV, and SARS-CoV-2 over the total ILI or SARI cases reflect the relative contribution of each respiratory virus to the total cases of ILI and SARI. This information is obtained by dividing the total positive cases of ILI or SARI for each respiratory virus by the total reported cases of ILI or SARI for the corresponding epidemiological week. All percentages are smoothed by applying a moving average with a 3-week window that includes data from the reference week and the previous two weeks.

PISA Graphs:

PISA graphs use data reported to FluNet (influenza positivity percentages) and FluID (cases of ILI, SARI, ARI, and pneumonia). For syndromic data reported to FluID, if the country reports weekly denominators of outpatients and hospitalizations, these are used to calculate weekly cases of ILI/1000 outpatients and weekly cases of SARI/100 hospitalizations, upon which thresholds are determined. Alternatively, if denominators are unavailable, case counts for each syndrome (ILI, SARI, ARI, or pneumonia) are used to calculate thresholds. The reflected thresholds are calculated using the WHO average curve methodology (available at: [WHO Average Curves \(shinyapps.io\)](https://shinyapps.io/WHO-Average-Curves/)) with historical data from available previous seasons (excluding seasons with atypical patterns due to epidemiological context or changes in surveillance systems, such as the years 2009 and 2010 and the years 2020 to 2023).





Regional Situation: Influenza activity in the Americas continues to decline, with a regional positivity rate of 15.5%. Influenza A(H3N2) continues to predominate among subtype samples in all subregions except the Andean subregion, where Influenza A(H1N1)pdm09 predominates. RSV circulation continues to increase; however, it remains at low positivity levels of 1.8%, driven mainly by increased activity in North America. SARS-CoV-2 positivity remains stable at 5.3%. At the regional level, the circulation of other respiratory viruses (ORV) increased after a sustained decline since early October, with a regional positivity rate of 1.6%. Rhinovirus and parainfluenza remain the most frequently detected ORVs.

North America: Influenza activity continues to decline, with a positivity rate of 8.62%. RSV circulation remains low but is trending upward, from 5.4% to 6.5%, while SARS-CoV-2 positivity remains stable at 5%. Nationally, Canada is seeing a decline in influenza activity, reaching a positivity rate of 7.04%, largely attributable to influenza A(H3N2). SARS-CoV-2 circulation remains stable, with a positivity rate of 5.2%, while RSV shows an upward trend, albeit with low positivity rates of 6.8%. In Mexico, influenza circulation remains high with a positivity rate of 22.4%, with co-circulation of influenza A(H3N2) (53.2%) and influenza A(H1N1)pdm09 (44.9%). The circulation of RSV and SARS-CoV-2 remains low and stable, with positivity rates of 4.6% and 0.92%, respectively. In the United States, influenza activity has increased slightly in the last week, with a positivity rate of 18.6%, predominantly due to influenza A(H3N2). Influenza-associated hospitalization rates continue to decline. Circulation of SARS-CoV-2 and RSV remains low with an upward trend, with positivity rates of 5.1% and 7.6%, respectively.

Caribbean: In the Caribbean, influenza activity remains high, with a regional positivity rate of 33.1%. At the national level, activity showed increases in Jamaica (53.3%), Cayman Islands (41.5%) and Guyana (20.01%), and decreased in Belize (20.6%), Cuba (4.2%), St. Lucia (42.7%) and Barbados (15.6%). RSV continues to decline after a period of intense activity, with a regional positivity rate of 4.1%. SARS-CoV-2 circulation remains low and stable in all countries in the subregion.

Central America: Influenza activity has decreased over the last four weeks, reaching a positivity rate of 17.8%. SARS-CoV-2 circulation remains low and stable (<1%), as does RSV activity, at 5.4%.

By country:

- **El Salvador:** Influenza activity has decreased, with a positivity rate of 4%. SARS-CoV-2 and RSV remain at low and stable levels of circulation.
- **Guatemala:** Influenza activity is high and trending upward, with a positivity rate of 37.1%, mainly related to influenza A(H3N2), which accounts for 89.3% of the total number of subtyped samples. RSV circulation increased slightly, reaching 5.5%. SARS-CoV-2 positivity remains low and stable (<1%).
- **Honduras:** Influenza activity decreased significantly from 26.5% to 16.8% over the last epidemiological week. RSV circulation remains low and stable.
- **Nicaragua:** Influenza activity continues to decrease, reaching a positivity rate of 7.9%. The predominant subtype was A(H3N2) with 79.64%. RSV circulation remains stable at 3.0%, while SARS-CoV-2 activity remains low and stable.
- **Panama:** Influenza activity decreased in the last two weeks, with a positivity rate of 20.3%, with co-circulation of influenza A(H3N2) (38.52%) and influenza A(H1N1)pdm09 (34.03%). RSV circulation decreased, reaching 10.7%. SARS-CoV-2 activity remained low and stable at 2.31%.

Continues on the next page





Andean subregion: Influenza activity increased during the last weeks of surveillance, reaching a positivity rate of 12.9%. RSV has increased reaching a positivity rate of 3.8%. SARS-CoV-2 circulation decreased during the last few weeks, with a positivity rate of 2.5%.

By country:

- **Colombia:** Influenza circulation has increased during the last three weeks, reaching transmission levels with a positivity rate of 13%, with influenza A(H1N1)pdm09 being the predominant subtype with 55.7%. RSV and SARS-CoV-2 activity remains low but increasing, with a positivity rate of 4.9% and 2.2%, respectively.
- **Ecuador:** Influenza activity decreased compared to the previous EW, reaching a positivity rate of 18.7%, with co-circulation of influenza A(H1N1)pdm09 (49.5%) and A(H3N2) (49.5%). RSV activity and SARS-CoV-2 circulation remained stable at 2.5% and 1.1% respectively.
- **Peru:** Influenza circulation has increased during the last few weeks, reaching transmission levels with a positivity rate of 10.8%, with influenza A(H3N2) being the predominant subtype. RSV activity remains low and stable, with a positivity rate of 0.87%, while SARS-CoV-2 activity continues to decline, reaching 4.4%.

Brazil and the Southern Cone: Influenza activity continues to decline, with a positivity rate of 3.1%. RSV circulation remains at inter-seasonal levels (<1%), while SARS-CoV-2 activity decreased to a positivity rate of 8.7%.

By country:

- **Argentina:** Influenza activity is low, with a positivity rate of 4%. RSV activity remains low and stable at 0.7%, while SARS-CoV-2 circulation decreased during the last week to 6.1%.
- **Brazil:** Influenza activity remains stable, reaching a positivity rate of 2.4%, with influenza A(H3N2) predominating. SARS-CoV-2 activity increased, reaching a positivity rate of 7.8%, while RSV circulation remains at low and stable levels.
- **Chile:** Influenza activity continues to decline, reaching a positivity rate of 2.7%. SARS-CoV-2 activity decreased, with a positivity rate of 11.2%, while RSV circulation remained low and stable (<1%).
- **Paraguay:** Influenza activity remains high with a downward trend during the last week, reaching a positivity rate of 23.3%, with co-circulation of influenza B (40.2%) and influenza A(H3N2) (59.8%). SARS-CoV-2 circulation increased in the last week (9.8%), while RSV activity remains low and stable.

Global: Available at: [Global Influenza Programme \(who.int\)](https://www.who.int/global-influenza-programme).

Avian Influenza: A summary of the avian influenza situation in the region, case management and recommendations are available at [Epidemiological alerts and updates | PAHO/WHO | Pan American Health Organization \(paho.org\)](https://www.paho.org/epidemiological-alerts-and-updates).





Situación regional: La actividad de influenza en las Américas continúa disminuyendo, con una tasa de positividad regional del 15,5%. El virus de influenza A(H3N2) sigue predominando entre las muestras de subtipos en todas las subregiones, excepto en la subregión andina, donde predomina el virus de influenza A(H1N1)pdm09. La circulación del VSR continúa en aumento; sin embargo, se mantiene en niveles bajos de positividad del 1,8%, impulsada principalmente por el aumento de la actividad en América del Norte. La positividad del SARS-CoV-2 se mantiene estable en el 5,3%. A nivel regional, la circulación de otros virus respiratorios (ORV) aumentó tras un descenso sostenido desde principios de octubre, con una tasa de positividad regional del 1,6%. El rinovirus y la parainfluenza siguen siendo los ROV detectados con mayor frecuencia.

América del Norte: La actividad de influenza continúa disminuyendo, con una tasa de positividad del 8,62%. La circulación del VSR se mantiene baja, pero tiende a aumentar, del 5,4% al 6,5%, mientras que la positividad del SARS-CoV-2 se mantiene estable en el 5%. A nivel nacional, Canadá está experimentando una disminución en la actividad de la influenza, alcanzando una tasa de positividad del 7,04%, en gran parte atribuible a la influenza A(H3N2). La circulación del SARS-CoV-2 se mantiene estable, con una tasa de positividad del 5,2%, mientras que el VSR muestra una tendencia al alza, aunque con bajas tasas de positividad del 6,8%. En México, la circulación de la influenza se mantiene alta con una tasa de positividad del 22,4%, con cocirculación de la influenza A(H3N2) (53,2%) y la influenza A(H1N1)pdm09 (44,9%). La circulación del VSR y del SARS-CoV-2 se mantiene baja y estable, con tasas de positividad del 4,6% y el 0,92%, respectivamente. En Estados Unidos, la actividad de la influenza ha aumentado ligeramente en la última semana, con una tasa de positividad del 18,6%, principalmente debido a la influenza A(H3N2). Las tasas de hospitalización asociadas a la influenza continúan disminuyendo. La circulación del SARS-CoV-2 y el VSR se mantiene baja, con una tendencia al alza, con tasas de positividad del 5,1% y el 7,6%, respectivamente.

Caribe: En el Caribe, la actividad de la influenza se mantiene alta, con una tasa de positividad regional del 33,1%. A nivel nacional, la actividad mostró aumentos en Jamaica (53,3%), Islas Caimán (41,5%) y Guyana (20,01%), y disminuyó en Belice (20,6%), Cuba (4,2%), Santa Lucía (42,7%) y Barbados (15,6%). El VSR continúa disminuyendo tras un período de intensa actividad, con una tasa de positividad regional del 4,1%. La circulación del SARS-CoV-2 se mantiene baja y estable en todos los países de la subregión.

Centroamérica: La actividad de influenza ha disminuido en las últimas cuatro semanas, alcanzando una tasa de positividad del 17,8%. La circulación del SARS-CoV-2 se mantiene baja y estable (<1%), al igual que la actividad del VSR, en un 5,4%.

Por país:

- **El Salvador:** La actividad de influenza ha disminuido, con una tasa de positividad del 4%. El SARS-CoV-2 y el VSR se mantienen en niveles de circulación bajos y estables.
- **Guatemala:** La actividad de influenza es alta y muestra una tendencia ascendente, con una tasa de positividad del 37,1%, principalmente relacionada con la influenza A(H3N2), que representa el 89,3% del total de muestras subtipificadas. La circulación del VSR aumentó ligeramente, alcanzando el 5,5%. La positividad del SARS-CoV-2 se mantiene baja y estable (<1%).
- **Honduras:** La actividad de influenza disminuyó significativamente del 26,5% al 16,8% durante la última semana epidemiológica. La circulación del VSR se mantiene baja y estable.
- **Nicaragua:** La actividad de influenza continúa disminuyendo, alcanzando una tasa de positividad del 7,9%. El subtipo predominante fue A(H3N2) con 79,64%. La circulación del VSR se mantiene estable en 3,0%, mientras que la actividad del SARS-CoV-2 se mantiene baja y estable.
- **Panamá:** La actividad de influenza disminuyó en las últimas dos semanas, con una tasa de positividad del 20,3%, con cocirculación de influenza A(H3N2) (38,52%) e influenza A(H1N1)pdm09 (34,03%). La circulación del VSR disminuyó, alcanzando el 10,7%. La actividad del SARS-CoV-2 se mantuvo baja y estable en 2,31%.

Continúa en la siguiente página





Subregión andina: La actividad de influenza aumentó durante las últimas semanas de vigilancia, alcanzando una tasa de positividad del 12.9%. El VSR ha aumentado, alcanzando una tasa de positividad del 3.8%. La circulación del SARS-CoV-2 disminuyó durante las últimas semanas, con una tasa de positividad del 2.5%.

Por país:

- **Colombia:** La circulación de influenza ha aumentado durante las últimas tres semanas, alcanzando niveles de transmisión con una tasa de positividad del 13%, siendo la influenza A(H1N1)pdm09 el subtipo predominante con un 55,7%. La actividad del VSR y del SARS-CoV-2 se mantiene baja, pero está aumentando, con una tasa de positividad del 4,9% y el 2,2%, respectivamente.
- **Ecuador:** La actividad de influenza disminuyó en comparación con la semana anterior, alcanzando una tasa de positividad del 18,7%, con cocirculación de influenza A(H1N1)pdm09 (49,5%) y A(H3N2) (49,5%). La actividad del VSR y la circulación del SARS-CoV-2 se mantuvieron estables en el 2,5% y el 1,1%, respectivamente.
- **Perú:** La circulación de influenza ha aumentado durante las últimas semanas, alcanzando niveles de transmisión con una tasa de positividad del 10,8%, siendo la influenza A(H3N2) el subtipo predominante. La actividad del VSR se mantiene baja y estable, con una tasa de positividad del 0,87%, mientras que la actividad del SARS-CoV-2 continúa disminuyendo, alcanzando el 4,4%.

Brasil y el Cono Sur: La actividad de influenza continúa en descenso, con una tasa de positividad del 3,1%. La circulación del VSR se mantiene en niveles interestacionales (<1%), mientras que la actividad del SARS-CoV-2 disminuyó a una tasa de positividad del 8,7%.

Por país:






- **Argentina:** La actividad de influenza es baja, con una tasa de positividad del 4%. La actividad del VSR se mantiene baja y estable en el 0,7%, mientras que la circulación del SARS-CoV-2 disminuyó durante la última semana al 6,1%.
- **Brasil:** La actividad de influenza se mantiene estable, alcanzando una tasa de positividad del 2,4%, con predominio de influenza A(H3N2). La actividad del SARS-CoV-2 aumentó, alcanzando una tasa de positividad del 7,8%, mientras que la circulación del VSR se mantiene en niveles bajos y estables.
- **Chile:** La actividad de influenza continúa en descenso, alcanzando una tasa de positividad del 2,7%. La actividad del SARS-CoV-2 disminuyó, con una tasa de positividad del 11,2%, mientras que la circulación del VRS se mantuvo baja y estable (<1%).
- **Paraguay:** La actividad de influenza se mantiene alta, con una tendencia descendente durante la última semana, alcanzando una tasa de positividad del 23,3%, con cocirculación de influenza B (40,2%) e influenza A(H3N2) (59,8%). La circulación del SARS-CoV-2 aumentó en la última semana (9,8%), mientras que la actividad del VRS se mantiene baja y estable.

Global: Disponible en: [Global Influenza Programme \(who.int\)](https://www.who.int/)


Influenza Aviar: el resumen sobre la situación epidemiológica de influenza aviar en la región, manejo de los casos y recomendaciones se encuentran disponibles en [Alertas y actualizaciones epidemiológicas | OPS/OMS | Organización Panamericana de la Salud \(paho.org\)](#)



Influenza virus distribution and percent positivity/Distribución de virus de influenza y porcentaje de positividad




Influenza virus distribution in the last 4 EWs/Distribución de virus de influenza en las últimas 4 SE GI...




● AH1N12009 ● AH3 ● A not subtyped ● B Victoria ● B Yamagata ● B not determined ● AH1


North America/Norte América




Caribbean/Caribe




Central America/
Centro América









Andean Region/
Región Andina








Brazil and Southern Cone/
Brasil y Cono Sur



RSV distribution and percent positivity/Distribución de VRS y porcentaje de positividad









SARS-CoV-2 distribution and percent positivity/Distribución de SARS-CoV-2 y porcentaje de positividad





ORV distribution and percent positivity/Distribución de OVR y porcentaje de positividad






New SARI cases total and by etiological agent per EW in the last 24 months/Nuevos casos IRAG totales y por agente ...

Region of the Americas/ Región de las Américas

● Influenza (+) ● RSV (+) ● SARS-CoV-2 (+) ● Total cases/Casos totales






Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SARS-CoV-2

● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2







New ILI cases total and by etiological agent per EW in the last 24 months/Nuevos casos ETI totales y por agente etiol...

Region of the Americas/ Región de las Américas


● Influenza (+) ● RSV (+) ● SARS-CoV-2 (+) ● Total cases/Casos totales




North America/Norte América




Caribbean/Caribe




Central America/Centro América



Andean Region/Región Andina




Brazil and Southern Cone/Brasil y Cono Sur



Data reported to FluNet/Datos notificados a través de FluNet



Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...

● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● %(+) INF ● %(+) RSV ● %(+) SC-2



Influenza virus distribution/Distribución de virus de influenza



Influenza virus distribution last 4 EWs/Distribución de viru...



Data reported to FluID/Datos notificados a través de FluID

No. new ILI cases by EW and % of ILI positive cases by virus/ N° de casos ...


No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


Samples (+) influenza Samples (+) RSV Samples (+) SC-2 % (+) INF % (+) RSV % (+) SC-2




Influenza virus distribution/Distribución de virus de influenza




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...





ORV distribution/Distribución de OVR







Data reported to FluID/Datos notificados a través de FluID

No. new ILI cases by EW and % of SARI positive cases by virus/ N° de c... No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...





No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...

No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...



No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...



PISA thresholds/Umbrales PISA

No. new ILI cases by EW/N° de casos ETI nuevos por SE

No. new SARI cases by EW/N° de casos IRAG nuevos por ...





Data available from open sources / Datos disponibles en abierto en: data.cdc.gov

Percent of Tests Positive for Respiratory Viruses

Last 4 EWs/Últimas 4 SE


Pathogen ● COVID-19 ● Influenza ● RSV

Pathog... ● COVID-19 ● Influenza ● RSV




Data reported to FluNet / Datos notificados a través de FluNet


Influenza virus distribution / Distribución de virus de influenza




Influenza %+ by EW / %+ influenza por SE



Influenza virus distribution last 4 EWs / Distribución de viru...




Influenza, RSV, and SARS-CoV-2 distribution / Distribución de ...





Data reported to FluID/Datos notificados a través de FluID

No. new ILI cases by EW and % of ILI positive cases by virus/ N° de casos ETI nuevos por SE % de...



Data available from open sources/Datos disponibles en abierto en: data.cdc.gov



Something's wrong with one or more fields. [See details](#)

Fix this


Open data set available at: [Rates of Laboratory-Confirmed RSV, COVID-19, and Flu Hospitalizations from the RESP-NET Surveillance Systems | Data | Centers for Disease Control and Prevention](#)




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


Samples (+) influenza Samples (+) RSV Samples (+) SC-2 % (+) INF % (+) RSV % (+) SC-2



Influenza virus distribution/Distribución de virus de influenza





Influenza virus distribution last 4 EWs/Distribución de viru...




Data reported to FluID/Datos notificados a través de FluID

No. new ILI cases by EW and % of ILI positive cases by virus/ N° de casos ... No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




Data reported to FluNet/Datos notificados a través de FluNet


Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


Samples (+) influenza Samples (+) RSV Samples (+) SC-2 % (+) INF % (+) RSV % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de ORV




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


Samples (+) influenza Samples (+) RSV Samples (+) SC-2 % (+) INF % (+) RSV % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...



Influenza %+ by EW/ %+ influenza por SE




Influenza virus distribution last 4 EWs/Distribución de viru...



Data reported to FluID/Datos notificados a través de FluID


SARI cases by EW/casos IRAG por SE




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR






Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...



No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...



No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...



No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...




No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...




PISA thresholds/Umbrales PISA


SARI cases by EW/casos IRAG por SE



Pneumonia cases per EW/casos de neu...



ARI cases by EW/casos IRA por SE



● Average C... ● Epidemic ● Moderate ● High ▶

● Average Curve ● Epidemic ● Moderate ▶


● Cases ● Average Curve ● Epidemic ▶




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...



Influenza virus distribution last 4 EWs/Distribución de virus d...




ORV distribution/Distribución de OVR




Data reported to FluID/Datos notificados a través de FluID

SARI cases by EW/casos IRAG por SE




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...




Influenza virus distribution/Distribución de virus de influe...



Influenza virus distribution last 4 EWs/Distribución de viru...


- AH1N12009
- AH3
- A not subtyped
- B Victoria
- B Yamagata
- B not determined
- AH1

ORV distribution/Distribución de OVR



Data reported to FluID/Datos notificados a través de FluID

SARI cases by EW/casos IRAG por SE








Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...

● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza virus distribution last 4 EWs/Distribución de viru...

- AH1N12009
- AH3
- A not subtyped
- B Victoria
- B Yamagata
- B not determined
- AH1



ORV distribution/Distribución de OVR



EW








Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...

● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza virus distribution last 4 EWs/Distribución de viru...

● AH1N12009 ● AH3 ● A not subtyped ● B Victoria ● B Yamagata ● B not determined ● AH1



ORV distribution/Distribución de OVR








Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2.




Influenza virus distribution/Distribución de virus de influe...



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR






Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...



No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...



PISA thresholds/Umbrales PISA








Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...



Influenza virus distribution last 4 EWS/Distribucion de viru...




ORV distribution/Distribución de OVR



Data reported to FluNet/Datos notificados a través de FluNet


Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...

● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2



Influenza virus distribution/Distribución de virus de influenza


Influenza virus distribution last 4 EWs/Distribución de viru...



Data reported to FluID/Datos notificados a través de FluID

No. new ILI cases by EW and % of ILI positive cases by virus/ N° de casos ...


No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


Samples (+) influenza Samples (+) RSV Samples (+) SC-2 % (+) INF % (+) RSV % (+) SC-2




Influenza virus distribution/Distribución de virus de influen...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR




Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...




No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...




PISA thresholds/Umbrales PISA

ILI cases/1000 outpatients by EW/casos ETI por 1000 consult...




SARI cases/inpatients by EW/casos IRAG/100 hospitalizaciones...




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de ORV




Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...




No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...




PISA thresholds/Umbrales PISA

ILI cases by EW/casos ETI por SE




SARI cases by EW/casos IRAG por SE




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2



Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE




Influenza virus distribution last 4 EWs/Distribución de viru...

- AH1N12009
- AH3
- A not subtyped
- B Victoria
- B Yamagata
- B not determined
- AH1




ORV distribution/Distribución de OVR




Data reported to FluNet/Datos notificados a través de FluNet


Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR




Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...



No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...



PISA thresholds/Umbrales PISA








Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2



Influenza virus distribution/Distribución de virus de influenza




Influenza virus distribution last 4 EWs/Distribución de viru...




Data reported to FluID/Datos notificados a través de FluID

No. new ILI cases by EW and % of ILI positive cases by virus/ N° de casos ...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2



Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE




Influenza virus distribution last 4 EWs/Distribución de viru...

- AH1N12009
- AH3
- A not subtyped
- B Victoria
- B Yamagata
- B not determined
- AH1




ORV distribution/Distribución de OVR




Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...




No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...



PISA thresholds/Umbrales PISA


SARI cases by EW/casos IRAG por SE




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR






Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...



No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...




No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...




PISA thresholds/Umbrales PISA

SARI cases by EW/casos IRAG por SE




ARI cases by EW/casos IRA por SE




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...



ORV distribution/Distribución de OVR



Data reported to FluID/Datos notificados a través de FluID



No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...

No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...





No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...

No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...




No. new SARI positive deaths by EW and positive virus/ N° de defunci...

No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...




PISA thresholds/Umbrales PISA

SARI cases by EW/casos IRAG por SE




Pneumonia cases by EW/casos neumonía por SE




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Percent positivity for influenza by week



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR




Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...




No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...



PISA thresholds/Umbrales PISA


SARI cases by EW/casos IRAG por SE



Data reported to FluNet/Datos notificados a través de FluNet



Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...

Samples (+) influenza Samples (+) RSV Samples (+) SC-2 % (+) INF % (+) RSV % (+) SC-2



Influenza virus distribution/Distribución de virus de influenza



Influenza virus distribution last 4 EWs/Distribución de viru...



Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de casos ...

No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




Data reported to FluNet/Datos notificados a través de FluNet


Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de OVR




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


Samples (+) influenza Samples (+) RSV Samples (+) SC-2 % (+) INF % (+) RSV % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de ORV




Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...




No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...



PISA thresholds/Umbrales PISA


SARI cases per EW/casos IRAG por SE




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


Samples (+) influenza Samples (+) RSV Samples (+) SC-2 % (+) INF % (+) RSV % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de ORV




Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...




No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...




PISA thresholds/Umbrales PISA

ILI cases by EW/casos ETI por SE




SARI cases/ 100 inpatients by EW/casos IRAG/ 100 hospitalizaciones ...




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


● Samples (+) influenza ● Samples (+) RSV ● Samples (+) SC-2 ● % (+) INF ● % (+) RSV ● % (+) SC-2




Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE



Influenza virus distribution last 4 EWs/Distribución de viru...




ORV distribution/Distribución de ORV




Data reported to FluID/Datos notificados a través de FluID


No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...




No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...




No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...




No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...




No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...




PISA thresholds/Umbrales PISA

ILI cases / 1000 outpatients by EW/casos ETI / 1000 consultas...




SARI cases/ 100 inpatients by EW/casos IRAG/ 100 hospitaliz...




Data reported to FluNet/Datos notificados a través de FluNet

Influenza, RSV, and SARS-CoV-2 distribution/Distribución de los virus influenza, VRS y SAR...


Samples (+) influenza Samples (+) RSV Samples (+) SC-2 % (+) INF % (+) RSV % (+) SC-2



Influenza virus distribution/Distribución de virus de influe...




Influenza %+ by EW/ %+ influenza por SE




Influenza virus distribution last 4 EWs/Distribución de viru...

AH1N12009
AH3
A not subtyped
B Victoria
B Yamagata
B not determined
AH1



ORV distribution/Distribución de OVR





Data reported to FluID/Datos notificados a través de FluID



No. new ILI cases by EW and % of ILI positive cases by virus/ N° de cas...

No. new ILI positive cases by EW and positive virus/ N° de casos ETI posit...





No. new SARI cases by EW and % of SARI positive cases by virus/ N° d...

No. new SARI positive cases by EW and positive virus/ N° de casos IRAG ...



No. new SARI positive deaths by EW and positive virus/ N° de defunci...

No. new SARI positive cases admitted to ICU by EW and positive virus/ N°...



PISA thresholds/Umbrales PISA

SARI cases/ 100 inpatients by EW/casos IRAG/ 100 hospitalizaci...

