

2008 Immunization Schedules for Selected Vaccines - The Caribbean, Canada, and USA

	1	2								3						4		5			6				7			8				
	BCG	Polio								DPT or DTaP						DT		DPT-Hep B+Hib			DPT+Hib or DTaP+Hib				Hep B			Hib				
	Number of doses																															
	1	1	2	3	4	5	6	7	8	1	2	3	4	5	6	1	2	1	2	3	1	2	3	4	1	2	3	1	2	3	4	
ANG	NB-11m	3m	5m	7m	18m	4-5y	15y						18m			4-5y		3m	5m	7m												
ANT	n/a	2m	4m	6m	18m	5y	15y						18m			5y		2m	4m	6m					≥15y if not previously vaccinated							
ARU	n/a	2m\$	3.5m\$	5m\$	11-12m\$	5y\$	10y\$			2m\$	3.5m\$	5m\$	11-12m\$			5y\$	10y\$								2m	3.5m	9.5-10m	2m\$	3.5m\$	5m\$	11-12m\$	
BAH	n/a	2m	4m	6m	4-5y											4-5y		2m	4m	6m				15m	>5y	+1m	+6m					
BAR	5-6y	3m	4.5m	6m	18m	4.5y	10-11y						18m			4-5y		3m	4.5m	6m												
BLZ	NB	2m	4m	6m	4-5y								4-5y					2m	4m	6m					"for review"							
BER	n/a*	2m\$	4m\$	6m\$	18m\$	4-6y\$							4-6y\$								2m\$	4m\$	6m\$	18m\$	6m	7m	12m					
BON	n/a	2m	3.5m	5m	11m	4y	10y									4y					2m	3.5m	5m	11m								
BVI	NB-1m	2m	4m	6m	18m	4y							18m	4y				2m	4m	6m												
CAY	6w	2m\$	4m\$	6m\$	4-6y\$					2m\$	4m\$	6m\$	4-6y\$											15m		NB	6w	9m	2m\$	4m\$	6m\$	
CUR	n/a	2m	3.5m	5m	11m	4y	10y									4y					2m	3.5m	5m	11m								
DOM	2m	2m	4m	6m	3y	13y										3y		2m	4m	6m					3 doses at risk groups*							
FGU	1m	2m\$	3m\$	4m\$	16-18m\$	6y\$	11-13y\$	16-18y	every 10y	2m\$	3m\$	4m\$	16-18m\$	6y	11-13y										2m	3m	8-15m	2m\$	3m\$	4m\$	16-18m\$	
GRE	n/a	6-8w	16-20w	24-28w	18m	4.5y							18m			4y		6-8w	16-20w	24-28w					3 doses at risk groups							
GUA	1m*	2m\$	3m\$	4m\$	16-18m\$	6y\$	11-13y\$	16-18y	every 10y	2m\$	3m\$	4m\$	16-18m\$	6y	11-13y										2m	3m	8-15m	2m\$	3m\$	4m\$	16-18m\$	
GUY	NB	2m	4m	6m	18m	45m							18m	45m				2m	4m	6m												
JAM	NB-6w	6w	3m	5-6m	18m	4-6y							18m	4-6y				6w	3m	5-6m												
MAR	1m*	2m\$	3m\$	4m\$	16-18m\$	6y\$	11-13y\$	16-18y	every 10y	2m\$	3m\$	4m\$	16-18m\$	6y	11-13y										2m	3m	8-15m	2m\$	3m\$	4m\$	16-18m\$	
MON	2m	2m	4m	6m	18m	5y	15y						18m			5y		2m	4m	6m					risk groups; health workers							
SAB	n/a	3m\$	4.5m\$	6m\$	12m\$	4y\$	9y\$			3m\$	4.5m\$	6m\$	12m\$			4y\$	9y\$											3m\$	4.5m\$	6m\$	12m\$	
SEU	n/a	2m\$	3m\$	4m\$	11m\$	4y\$	9-10y\$			2m\$	3m\$	4m\$	11m\$			4y\$	9-10y\$											2m\$	3m\$	4m\$	11m\$	
SCN	NB-4w	2m	4m	6m	18m	4-5y	11-17y						18m	4-5y				2m	4m	6m												
SMA	NB	2m\$	3m\$	4m\$	11m\$	4y\$	9y\$			2m\$	3m\$	4m\$	11m\$			4y\$	9y\$								2m	3m	11m	2m\$	3m\$	4m\$	11m\$	
STL	6w	3m	5m	7m	18m	5y	11y						18m			5y		3m	5m	7m												
STV	NB	2m	4m	6m	18m	4-5y							18m	4-5y				2m	4m	6m												
SUR	n/a	2m	4m	6m	18m	5y							18m			4-6y (school entry)		2m	4m	6m					NB							
TRT	n/a	3m	4-5m	6m	18m	4-5y							18m	4-5y				3m	4-5m	6m					risk groups							
TUR	NB	8w	16w	24w	18m	48m							18m			4-5y		8w	16w	24w												
																								3 doses: infancy or pre-adolescence (9-13y)								
CAN	n/a	2m\$	4m\$	6m\$	18m\$	4-6y\$								4-6y\$							2m\$	4m\$	6m\$	18m\$								
USA	n/a	2m	4m	6-18m	4-6y					2m	4m	6m	15-18m	4-6y											NB-2m	1-4m	6-18m				12-15m	

NB: Newborn

IPV given (text in blue)

n/a: non applicable

\$: Used as a combination vaccine

RED fonts still pending
clarifications from countries

* BER: BCG given upon request

* DOM: Hep B administered to health workers, infants of HIV+ mothers, and infants of Hep B+ mothers

* GUA: BCG given to communities at risk for TB

* MAR: BCG given to communities at risk for TB

* CAN: use Tdap; For detailed schedule: <http://www.phac-aspc.gc.ca/im/is-vc-eng.php>

* USA: use Tdap; For detailed schedule: <http://www.cdc.gov/vaccines/recs/schedules/default.htm>

DISCLAIMER: Table not yet approved by countries

Updated:21 May 2009



2008 Immunization Schedules for Selected Vaccines - The Caribbean, Canada, and USA

	9 MMR		10 TT/dT					11 Yellow Fever†		12 Influenza		13 Varicella	14 Pneumococcal				15 Pneumo-Polysaccharide			16 Mening_c			17 HPV		
1st Doses																									
	1	2	1	2	3	4	5	1	2	1	2	1	1	2	3	4									
ANG	15m	4-5y	15y																						
ANT	1y	5y	15y+	every 10y						6m-35m;adults															
ARU	13-15m	10y																							
BAH	1y	4-5y	10y							6m-6y;			2m*	4m*	6m*										
BAR	1y	3-5y	10-11y							elderly institutions & health workers															
BLZ	1y	2y		adults; pregnant women						6m-23m; ≥65y; risk groups															
BER	15m	4-6y								12-24m			2m	4m	6m	15-18m	65y+							11-12y (3 doses)	
BON	14m	10y	10y																						
BVI	1y	4y																							
CAY	15m	4-6y	14-16y							6m-5y;			12m*	2m*	4m*	6m*								11-12y	
CUR	14m	10y	10y																						
DOM	1y	18m	13y																						
FGU	1y	3-6y	every 10y					1y	11y & every 10y																
GRE	1y	18m	pregnant women; adult; older children							chronic diseases															
GUA	1y	3-6y	every 10y																						
GUY	1y	45m	15y+; pregnant women					1y						2m*	4m*	6m*	intro in 2009								
JAM	1y	4-6y	pregnant women							health workers; children at															
MAR	1y	3-6y	every 10y																						
MON	15m	4.5y	15y							preschooler (4y-6y); health care workers; elderly															
SAB	14m	9-12y																							
SEU	14m	9-10y																							
SCN	1y	2y				11y	16y																		
SMA	14m	9y																							
STL	1y	5y	11y																						
STV	1y	4-5y	10-15y	15y+						6m-2y															
SUR	1y	5y	12y	pregnant women				1y*																	
TRT	1y	4-5y	>10y					1y	≥11y	6-23m; >60y															
TUR	1y	48m	15y	pregnant women						6m-3y; other people at risk				groups at risk in 2009											
CAN	1y	18m or 4-6y	every 10 years							6-23m; ≥65y; risk groups			12m	2m	4m	6m	12-15m	≥65y		2m	4m	6M or 12M if not yet given	9-26y		
USA	12-15m	4-6y	11-12y	13-18y						6-23m; ≥50y; risk groups			12-18m	2m	4m	6m	12-15m								

NB: Newborn

S: Used as a combination vaccine

n/a: non applicable

†: Yellow fever vaccine administered to travellers to endemic countries is not included

* BAH: given at subnational level

* CAY: For overseas births; introduce 2nd dose of varicella in 2009 for school entry (4y-6y)

* STL: Administers measles at 2 years; additional MR dose at 11-12 years

* SUR: Yellow fever vaccine used at subnational level

* CAN: For detailed schedule: <http://www.phac-aspc.gc.ca/im/is-vc-eng.php>

* USA: For detailed schedule: <http://www.cdc.gov/vaccines/recs/schedules/default.htm>

DISCLAIMER: Table not yet approved by countries

Updated:21 May 2009



2008 Immunization Schedules for Selected Vaccines - The Caribbean, Canada, and USA

	18 Tdap			17 Rotavirus			3 Vitamin A					
							1	2	3	4	5	6
ANG												
ANT												
ARU												
BAH												
BAR												
BLZ							6m	12m	18m	24m	30m	36m
BER	11-18y											
BON												
BVI												
CAY				6w	4m	6m						
CUR												
DOM												
FGU												
GRE												
GUA												
GUY				intro in 2009								
JAM												
MAR												
MON												
SAB												
SEU												
SCN												
SMA												
STL												
STV												
SUR												
TRT												
TUR												
CAN	14-16y											
USA												

DISCLAIMER: Table not yet approved by countries
Updated:21 May 2009

