

The adolescent health indicators

recommended by the Global Action for Measurement of Adolescent health

Guidance for monitoring adolescent health at country, regional and global levels

November 2024


Presentation:

Dr Regina Guthold, Scientist
Adolescent and Young Adult Health Unit
Department for Maternal, Newborn, Child and Adolescent Health and Ageing, WHO



Why a set of adolescent health indicators?

- Inconsistent and incomplete adolescent health measurement landscape
- Different initiatives and data collection programmes using many different indicators



Examples of initiatives



Examples of data collection programmes



Selecting a comprehensive set of adolescent health indicators

1 Establishment of the Global Action for Measurement of Adolescent health (GAMA) Advisory Group by WHO and partner UN agencies

2 Selection of core measurement areas

3 Indicator mapping

4 Indicator selection

5 Indicator assessment

6 Indicator finalization


Process driven by

- GAMA Advisory Group
- UN partners

With inputs from

- Young people
- Countries
- Global and regional measurement stakeholders
- Other interested experts and partners

The 47 GAMA-recommended indicators




The GAMA-recommended indicators as part of AA-HA! 2.0

- Chapter 5 in the GAMA document and
- Chapter 6 in the AA-HA! 2.0 document describe how the GAMA-recommended indicators are used in the AA-HA! process.

An excel-based tool is available upon request to help:

- map available in-country data for the GAMA-recommended indicators
- identify priorities based on these data
- identify data gaps



**Thank you
for your attention**

